








BAHAMA®

Jumbrella XL
Price List 2022














Jumbrella XL | round, square, rectangular

in m	ø 7 37 m ² 12 Spokes	5 × 5 25 m ² 12 Spokes	5.5 × 5.5 30.25 m ² 12 Spokes	6 × 6 36 m ² 12 Spokes	7 × 7 49 m ² 12 Spokes	6 × 5.14 30.84 m ² 12 Spokes	7 × 5 35 m ² 12 Spokes	7 × 6 42 m ² 12 Spokes
------	---------------------------------------	---	--	---	---	---	---	---

No.	Item	Description	Weight/Dimensions Technical Data	Price in €	Price in €	Price in €	Price in €	Price in €	Price in €	Price in €	Price in €
Umbrella Model and Frame*											
1	Jumbrella XL WITHOUT valance »betex®05« polyester fabric – exclusively crafted for Bahama	- textile membrane made of »betex®05« polyester fabric - 25 colors available according to color chart - printing possible - aluminum frame in traffic white RAL 9016, textured matte finish - resin components in white - component parts in V2A stainless steel	- depending on umbrella size - fabric weight: approx. 200 g/m ²	6,828	6,348	6,828	7,398	9,098	7,398	8,468	9,398
2	 Jumbrella XL WITH valance »betex®05« polyester fabric – exclusively crafted for Bahama	same as 1, but with: - straight edged valance	valance height: approx. 30 cm	7,278	6,748	7,278	7,898	9,798	7,898	9,068	10,098
3	 Frame Color anthracite grey frame finish	- aluminum frame in anthracite grey RAL 7016, textured matte finish - resin components in black						without surcharge			
4	 Frame Color wooden frame finish	- aluminum frame in »Golden Oak« finish - resin components in black						548			
5	 Frame Color custom finish	aluminum frame in custom RAL finish						548	without surcharge when at least 6 or more umbrellas are ordered under the same purchase order		
6	Resin Components in black	instead of white						without surcharge			
7	 V4A Maritime Edition	all component parts in V4A off-shore stainless steel						458			
8	Umbrella Center Pole Extension	depending on the model, up to 50 cm are possible						168			
9	Umbrella Center Pole Reduction	on request						on request			
Umbrella Model and Frame with alternative Textile Membrane*											
10	Jumbrella XL WITHOUT valance »Precontraint 302«	Frame and frame options same as 1–9, however: - textile membrane made of »Precontraint 302« - polyester fabric 550 Dtex with PVC coating - 25 colors available according to color chart - printing possible - B1 certified flame retardant	fabric weight: approx. 480 g/m ²	7,852	7,300	7,852	8,508	10,463	8,508	9,738	10,808
11	 Jumbrella XL WITH valance »Precontraint 302«	same as 10, but with: - straight edged valance	valance height: approx. 30 cm	8,370	7,760	8,370	9,083	11,268	9,083	10,428	11,613
Original Bahama Textile Membrane for Replacement*											
12	WITHOUT valance	made of »betex®05« polyester fabric		3,149	2,756	2,848	2,955	3,541	2,848	2,934	3,223
13	WITH valance	made of »betex®05« polyester fabric		3,599	3,156	3,298	3,455	4,241	3,348	3,534	3,923
14	WITHOUT valance	made of »Precontraint 302« PVC coated polyester fabric		4,173	3,709	3,872	4,065	4,906	3,957	4,204	4,633
15	WITH valance	made of »Precontraint 302« PVC coated polyester fabric		4,690	4,169	4,389	4,640	5,711	4,532	4,894	5,438
Printing											
16	 Printing	- individual digital printing of the textile membrane - vector files required (e.g. PDF, EPS, AI,...)						please refer to separate printing price list			

Jumbrella XL | square, rectangular

in m **5 × 5** 25 m² 12 Spokes **5.5 × 5.5** 30.25 m² 12 Spokes **6 × 6** 36 m² 12 Spokes **7 × 7** 49 m² 12 Spokes **6 × 5.14** 30.84 m² 12 Spokes **7 × 5** 35 m² 12 Spokes **7 × 6** 42 m² 12 Spokes








No.	Item	Description	Price in €	Price in €	Price in €	Price in €	Price in €	Price in €	Price in €
Textile Gutter TVR*									
17	Frame Modification for Textile Gutter	- threaded sockets embedded in the spoke profile - all other installation accessories will be supplied with the textile gutter					180		
18	 Textile Gutter	 Textile gutter made of »betex®05« polyester fabric - including installation accessories	1,028	1,106	1,159	1,353	short side 1,068 long side 1,159	1,028 1,353	1,159 1,353
19	 Textile Gutter	textile gutter made of »Precontraint 302« PVC coated polyester fabric - including installation accessories	1,179	1,269	1,333	1,554	short side 1,193 long side 1,330	1,179 1,554	1,330 1,554
Side Panel*									
20	Frame Modification for Side Panel	 - threaded sockets embedded in the profile of each intermediate spoke - all other installation accessories will be supplied with the side panel					180		
21	 Side Panel WITHOUT window	 - made of »betex®05«, analogous to the textile membrane - mounted to spokes via snap hook - rollable, can remain in open parasol - connection via zippers - aluminum slide-in profiles on the top/bottom edges - including installation accessories	554	589	642	747	short side 570 long side 642	554 747	642 747
22	 Side Panel WITHOUT window WITH door on right or left	same as 21, however, with: - roll-up door	754	789	842	947	short side 789 long side 842	754 947	842 947
23	 Side Panel WITH window	 same as 21, however, with: - flexible window made of transparent film 0.5 mm thickness	578	621	681	790	short side 598 long side 681	578 790	681 790
24	 Side Panel WITH window WITH door on right or left	same as 23, however, with: - roll-up door	778	821	881	990	short side 798 long side 881	778 990	881 990
25	Connecting Piece	 - connecting piece for joining 2 parasols - textile with zippers	146	146	146	146	146	146	146

Remark: The appearance of the items shown in the technical illustrations may vary.












* for the textile gutters and side panels please indicate the desired color code taken from Bahama color chart.

All prices stated are to be regarded as ex-works and **excluding** VAT. This price list is subject to our General Terms and Conditions in the respectively applicable version.

Jumbrella XL | round, square, rectangular

No.	Item	Description	Weight/Dimensions Technical Data	all models Price in €
Mobile Installation Options				
26	 Portable Stand	 <ul style="list-style-type: none"> - height adjustable (in all 4 corners) - cross-frame hot-dip galvanized and powder coated - incl. bright deco concrete slabs - for umbrellas up to size 6 × 6 m - without wind warranty* 	weight: approx. 460 kg	2,278
27	 Portable Stand	same as 26, however: <ul style="list-style-type: none"> - with wind warranty* - for umbrellas up to size 6 × 6 m 	weight: approx. 540 kg	2,838
28	 Steel Plate Base with 4 Steel Plates	 <ul style="list-style-type: none"> - hot-dip galvanized - screw-on receiving column, tiltable - without wind warranty* 	- dimensions per plate: 740 × 740 × 15 mm - weight per plate: approx. 65.2 kg (total approx. 260 kg)	2,278
29	 Steel Plate Base with 8 Steel Plates 2 layers	same as 26, however: <ul style="list-style-type: none"> - with 8 steel plates - with wind warranty* 	- dimensions per plate: 740 × 740 × 15 mm - weight per plate: approx. 65.2 kg (total approx. 540 kg)	3,978
30	Powder Coating of 4 Steel Plates	- in traffic white RAL 9016, textured matte finish - in anthracite grey RAL 7016, textured matte finish	dimensions per plate: 740 × 740 × 15 mm	568
31	Spacer	 <ul style="list-style-type: none"> for steel plates e.g. for terrace substructures (custom height on request) 	height: min. 134 mm – max. 385 mm	528
32	Spacer for Electrics Radiator	for steel plates e.g. for terrace substructures (custom height on request)	height: min. 134 mm – max. 385 mm	568

Jumbrella XL | round, square, rectangular

No.	Item	Description	Weight/Dimensions Technical Data	all models Price in €
Permanent Installation Options				
33	 In-Ground Installation, tiltable	 <ul style="list-style-type: none"> - lower part to be set in concrete - powder coated above-ground connecting components with tilting hinge - with theft prevention device 	weight: approx. 42 kg	568
34	 In-Ground Installation, tiltable WITH electrical connection Radiator	 <ul style="list-style-type: none"> same as 33, however: - for umbrella with electromechanical features 	weight: approx. 45.5 kg	658
35	In-Ground Installation Extension	 <ul style="list-style-type: none"> - serves to bridge over a gap - e.g. an installation in a Kindergarten sandbox - In-Ground Installation, tiltable (No. 33 and 34) 	- custom height: from 134 up to 400 mm - in accordance with	338
36	 Surface Mount	 <ul style="list-style-type: none"> - powder-coated above-ground connecting components with tilting hinge - galvanized square steel plate 	- dimensions: 610 × 610 × 20 mm - weight: approx. 77.5 kg	1,368
37	 Dual Mounting Console	 <ul style="list-style-type: none"> - Surface Mount with spacer and tilting hinge - custom dimensions on request - comes with integrated theft prevention device and cover plate OPTIONAL - also available for umbrellas with electromechanical options 	- weight: approx. 98 kg - height: min. 134 mm – max. 385 mm - plus 15 mm winter cover	1,726
38	 Optional: »fischer« heavy duty anchoring bolts 1 set = 8 pcs.	 <ul style="list-style-type: none"> - type #FH II 18/30 SK A4 - M12 thread for 2-piece flat foot mount with counter-bores - incl. concrete drill insert type #SDS Plus II, 135 mm drill depth and SW8 Allen wrench 		498

Bahama Wind Warranty*

Bahama grants you, in addition to the legally binding warranties and on the basis of our General Terms and Conditions, a wind warranty for parasols in open condition. The maximum wind velocity depends on the parasol model and the chosen Bahama installation option.

The basic wind warranty of 37 months can be extended twice – each time for 37 months. The full validity period of the wind warranty Bahama offers, including the two-time extensions, is in total 111 months, that means 3,376 days or more than 9 years. You may be asking yourself how we calculate such a time frame? The tensile strength of the textile membrane lessens over time due to the influence of various weather conditions and especially disproportionately in the first 3 years. The other fundamental properties of the parasol such as sun protection and waterproofness remain the same. Bahama can, however, only grant the wind warranty with maximal tension and tensile strength of the textile membrane.

For this reason: a newly exchanged Bahama textile membrane = a new Bahama wind warranty.













Remark: The appearance of the items shown in the technical illustrations may vary.

All prices stated are to be regarded as ex-works and **excluding** VAT. This price list is subject to our General Terms and Conditions in the respectively applicable version.

Remark: The appearance of the items shown in the technical illustrations may vary.

All prices stated are to be regarded as ex-works and **excluding** VAT. This price list is subject to our General Terms and Conditions in the respectively applicable version.










Jumbrella XL | round, square, rectangular

No.	Item	Description	all models Price in €
Protective Cover			
39	 Protective Cover – comfort	 <ul style="list-style-type: none"> - made of »betex®05« polyester fabric color 9801 - concrete - with zipper for telescopic rod 	418
40	 Protective Cover – comfort with telescopic rod	 <ul style="list-style-type: none"> same as 39, but with: - telescopic rod 	558
Impact Protection			
41	 Soft Foam Safeguard for center pole of umbrella	 <ul style="list-style-type: none"> - 2-piece design - round shape, with Velcro - available in 10 colors 	498
Lighting			
42	 Lighting	 <ul style="list-style-type: none"> - 4 LED-lamps - light temperature 2700 K - 4 × 4 W light power - supply power 240 V (available in US edition - 120 V) 	608
43	 Lighting	 <ul style="list-style-type: none"> - 6 LED-lamps - light temperature 2700 K - 6 × 4 W light power - supply power 240 V (available in US edition - 120 V) 	778
LED-Lighting			
44	 LED-Lighting with 8 RGBW-LED strips	 <ul style="list-style-type: none"> - 8 RGBW-LED strips - indirect RGBW-LED lighting 120-240/24 V - with remote control - integrated in umbrella spokes 	1,438

Remark: The appearance of the items shown in the technical illustrations may vary.

All prices stated are to be regarded as ex-works and **excluding** VAT. This price list is subject to our General Terms and Conditions in the respectively applicable version.

Jumbrella XL | round, square, rectangular

No.	Item	Description	all models Price in €
Heating			
45	 Radiators	 <ul style="list-style-type: none"> - 4 electric, turnable infrared radiators (available in US edition) - 1,500 Watts per radiator - variable via remote control - can remain in closed umbrella - NEW! Spiral cable inside umbrella pole with 5-pole plug connection for on-site source cable 5 × 2,5 mm² <p>PLEASE NOTE: This option is suitable for all portable stands with levelling feet and 2-piece in-ground installation with electrical connection (No. 34) and steel plate base in connection with spacer for electrics (No. 32)</p>	2,998
46	Price Reduction for combination of lighting & radiators	when lighting and radiators are ordered at the same time	- 200
Speakers			
47	 Speakers	frame integrated audio system with 1 speaker	price upon request
TV			
48	 TV Frame Modification for 1 TV for 2 TVs	 <ul style="list-style-type: none"> - turnable TV-mounting console for VESA-Norm 200, max. screen size 32 inches - with quick-action slide-in module for easy mounting in umbrella - pre-mounted 230V power socket included (available in US edition - 120 V) - CAT7 wiring inside the umbrella pole 	558 1,118
WLAN			
49	 Wifi Frame Modification	 <ul style="list-style-type: none"> - only possible in combination with LED-Lighting option - internal CAT7 wiring - integrated CAT7 RJ45 network interface to be connected inside the in-ground installation - internal power supply of the 24V DC router - Wifi Outdoor Access Point TP-Link EAP110 mounted onto center pole via weatherproof case 	1,588
50	External Control Unit	 <ul style="list-style-type: none"> - for 42-49 (all electromechanical features) - FI-switch - On/Off switch for each individual electromechanical option 	price upon request
Transport Packaging			
51	 Forkliftable Packaging	3 wooden pallets incl. tension straps	138

Remark: The appearance of the items shown in the technical illustrations may vary.

All prices stated are to be regarded as ex-works and **excluding** VAT. This price list is subject to our General Terms and Conditions in the respectively applicable version.

Notes

A large grid of dotted lines for taking notes, spanning the width of the page and extending down to the footer area.



01/2022

BAHAMA®