



infiniti

DESIGNED
TO BE
SOCIAL

INDEX

POST-CONSUMER RECYCLING PRODUCTS

- CANOVA PCR 14
- TONDINA PCR 18
- PURE LOOP PCR 22

NEW PRODUCTS

- SICLA 26
- EASTWOOD 40
- FELUCA 46
- EKKI 52
- BOMBOM 60
- FLINK TABLE 68
- DIAPASON 72

RANGE EXTENSIONS

- 80 RELIEF
- 98 HARMO
- 106 RUELLE
- 114 TONDINA POP
- 124 COOKIE
- 128 UTI
- 134 KRAM
- 140 PEB
- 148 KLEJN
- 162 FLINK
- 168 RECORD BENCH
- 176 RECORD LIVING
- 186 RECORD MEETING

FINISHES

- 192 FINISHES

HOW TO READ THE PRICELIST

This price list contains a series of technical information and use suggestions for those who intend to purchase or already have bought items belonging to the wide Infiniti range. The price list divides the collections into: chairs, armchairs, stools, tables. All indications here present are shown in triple language: Italian, English and Spanish. Infiniti reserves the right to modify or ameliorate the products without any prior advice.

HOW TO USE THE PRICE LIST

The pages of the price list contain all necessary information for a complete description of the product. In particular, for each item are displayed:

- Picture of the item;
- Name of product
- Chart with:
 - frame and seat/back or shell finishing for chairs and stools;
 - table structure and top finishing for tables;
 - prices VAT non included.
- Quantity of pieces contained in each carton box;
- All available colour finishing for seat/back or shell, frame and table top;
- Brief product description;
- Average product dimensions;
- All technical details describing unit package characteristics:
 - packaging volume;
 - quantity each carton box;
 - item weight;
 - product stacking capability;
 - certifications;
 - outdoor use capability.

Into the various colours representation it is shown the name of each colour. The same can be referred to the fabrics, leather colours and wooden finishing. Colours are purely indicative; kindly refer to the colour and finishing samples to make your choice.

NOTE

The cost of a product with customer fabric (COM) is obtained by applying the eco leather price. The cost of a product with customer leather (COM) is obtained by increasing the eco leather price by 10%. Fabrics supplied by the customer must contain indication of front and back, and must be 140 cm wide. C.O.M. fabrics must arrive here at OMP with no freight - custom charges (DDP). The fabric, leather, lacquer, glass and wood sample colour shades are intended as a guide only, as they can vary from batch to batch. Infiniti declines all liability for slight colour differences. These differences may be more evident in items ordered at a later stage to complete previous orders. Infiniti reserves the right to change or technically improve the design and specifications of any of its products at any time and at its discretion without prior notice. It also reserves the right to withdraw, suspend or cease production of any product at any time and at its discretion without prior notice. The measurements given in the price list are approximate. There may be a tolerance due to the type of materials used.

“INFINITI” MATERIALS

METALS

Metals are an important part of our products: they are used in order to realize frames for chairs and table structures. Infiniti has made a long and accurate research on materials and relative working technologies. In our factories we have reached elevated skills in steel and aluminium moulding/casting.

STEEL

Steel is used to produce frames for chairs and stools, by using round or squared tubes as well as solid rod all in high resistance. Furthermore, thanks to advanced technologies (laser 3D cutting machine), we are able to gain more complex shapes. Our products are available with different surface finishes and high quality standard. (painting, satin finishes, chromium-plating).

ALUMINIUM

This metal combines characteristics of lightness with an elevate resistance and natural beauty of the surfaces. Aluminium surface can be anodized, a special treatment in order to increase the resistance to corrosion making the surface more opaque.Infiniti uses this metal in 3 different methods:

- Die cast: used to produce chair legs in the following finishes: polished - chromed - satin
- Anodized aluminium tube
- Extrusion.

PLASTIC MATERIALS

Infiniti, always interested in new technologies, heads to an innovative and updated development: for its production it uses both thermoplastic and thermosetting polymers. The plastic materials range from the polycarbonate to SAN to polypropylene, allowing the realization of a wide range of different finishes and characteristics. All the materials are recyclable in the respect of the environment.

POLYPROPYLENE PP

Its main feature is its high resistance to heat and abrasion. Furthermore it is non-toxic, antistatic, scratches and stains resistant. It has a high resistance to atmospheric agents, so is meant for outdoor usage.

WOOD

Infiniti works in the respect of all the national and international laws concerning the environment, this is achieved trough the mutual cooperation with partners / suppliers that support the non-government organization FSC (Forest Stewardship Council) that operate in order to ameliorate sustainability of the forests all around the world. FSC certified companies are able to guarantee that the woods used in their production processes, come from forests that are managed properly and responsibly, in conformity with environmental - social and economical standards. Infiniti uses paints and glues of low formaldehyde emission, using rationally the raw material. The wood used is selected among the best present in the market. Its particular processing allow to guarantee resistance and last through time. Being a natural material, difference in colour can occur between each lot of wood, but these differences cannot be considered a flaw but on the opposite side a guaranty of the authenticity of the wood used.

SLICED ASH

It is an overlapping of ash-layers, that forms blocks which are later sliced perpendicularly to the direction of the various layer. The result is a surface that has a regular and homogeneous veining.

COMBINATION OF OAK

It is an overlapping of different light smooth layers of wood of the same kind that creates the same effect concerning the veining and the colours of the most valuable woods.

MULTI LAYERS

It is an overlapping of different sheets of sliced wood that are later glued together making a plywood.

3D MULTI LAYERS

It is an overlapping of different sheets of sliced wood that are later glued together making a single piece to be combined with the 3D engineered wood. This is a particular patented material meant to be bended in any complex 3 dimension shape without cracking.

FENIX NTM®

Innovative-nanotech material, ultra matt and soft touch- conceived for interior design. With low light reflection, its surface is highly matt, anti-fingerprints and pleasantly soft touch. The exterior side of FENIX NTM is obtained with nanotechnologies and is characterised by a surface treated with acrylic resins of new generation, hardened and bound through the Electron Beam Curing process. Thanks to these characteristics, Fenix NTM regenerates itself from any surface micro-scratches thanks to its thermo-repairing quality.

FABRICS

Infiniti uses fabrics that belong to a wide range of colours and patterns, which are all tested in order to achieve the best performance, among which resistance to abrasion and artificial light. The chair and armchair upholstery fabrics come in a wide range of bright colours. Fireproof fabric and imitation leather upholstery are also available. The Kvadrat collection, now available, offers top quality and high performance. The fabric can also be supplied by the customer.

LEATHER

Top quality European full-grain leather is used for the Infiniti upholstery. Several are the possibilities to chose among leather of different shades. It is soft and elegant but at the same time very resistant. It is the results of long stages of working. Leather is tanned with chrome and pigmented with resins in a water solution. Several are the tests made in order to achieve the right level of softness and elasticity.

RECYCLED FIBERGLASS (RFS)

The Recycled Fibreglass panel is made of recycled fiber-reinforced composites (fiberglass-kevlar-carbon fiber, etc) finely worked and re-aggregated a high pressure with minimum percentages of virgin adhesives. The procedure is patented and generates a double-green material, therefore recyclable again a end of life. In milling, the homogeneous density of the panel (1100 kg / m3) ensures robustness to the entire section, allowing processing three-dimensional without risk of defeat. The panel is a sustainable material certified by CSI.

Fire reactions: Class 2 according to UNI 9177.

USAGE AND CARE

PLASTIC MATERIALS

Cleaning advices: Plastic surfaces usually needs to be cleaned with a normal cloth and warm water, we recommend not to use dry cloths otherwise the scratch might generate an electrostatic load that capture dust. For the most persistent stains a small amount of liquid soap diluted in water may be used. We recommend to avoid strictly the use of acetone, trichloroethylene, ammonia and detergents that contains even just a small amount of those substances as they can turn bright shiny surfaces into opaque very easily. We recommend as well to avoid all types of abrasive substances, like for example powdered cleaning products, creams, score pads and rough sponges. Usage: Avoid to drain on the surfaces objects that can scratch the material. We also remind that plastic cannot cope with warm surfaces of elevate temperatures placed directly on top of the item, an example might be not to place warm pans or pots.

PLYWOOD

Cleaning advices: Plywood surfaces usually needs to be cleaned with a normal cloth and warm water, we recommend always to dry immediately after the cleaning process. All liquids or other residue must be removed in order to avoid the absorption of the same. Usage: Being plywood a natural material you might notice an alteration in the colour shade during time and use. We also remind that plywood cannot cope with warm surfaces of elevate temperatures placed directly on top of the item, an example might be not to place warm pans or pots; doing so can change the colour of the shell.

METALS

Cleaning advices: Plastic surfaces usually needs to be cleaned with a normal cloth and warm water, for the most persistent stains a small amount of liquid soap diluted in water may be used. We recommend always to dry immediately after the cleaning process by using a soft cloth or a leather one. Never use: cleaning products for steel ovens, chlorine, bleach, or other strong detergents. Avoid abrasive creams, score pads and abrasive sponges that can scratch the metal surfaces. Usage: Mind the stains of food such as coffee, juices, coke, if not removed immediately they might leave indelible marks on the surface.

FABRICS

Cleaning: see care and washing advice on finishes. Usage: We remind you that fabrics are extremely delicates it is therefore very important to look carefully at the kind of wash suggested and pay particular attention while using because they are subject to be ripped or cut.

LEATHERS

Cleaning advices: Clean with a soft cloth with warm water. Usage: We remind that leathers are extremely delicates. It is therefore very important to look carefully at the kind of wash suggested and pay particular attention while using because they are subject to be ripped or cut. Exposition in spaces with an elevate percentage of humidity might cause structural modifications.

RECYCLABILITY

The Infiniti range is built for the majority in metal elements, plastic materials and in plywood, all materials 100% recyclable. Metal for example is one of the most

recycled materials on planet hearth and allowed a saving of about a 95% of the energy otherwise used to obtain it from the raw material. The metals received are sent to dedicated centres to be divided into irony and non irony trough magnets, floating methods, air and manually. Chemical analysis might be done to divide further the rubbish. Non irony materials, such as aluminium, are pressed together in balls and sent back to the foundries. In the foundries the metals are melted again and the production process begin from point 0, returning into raw material, ready to be used for the production of brand new products. To re-use, recycle and recover are primary targets in the UE environmental policy that rules the usage of plastics materials, every day more parts that belongs to our normal lives. Plastic had a huge and global success in the past exactly for his characteristics, in fact plastic has the possibility to be moulded in any shape or dimension, throughout different technical solutions adapted according to the product: straining, mould injection, extrusion, injection. The main point of strength of this material are: lightness, workability. Our whole world seems like enveloped in a plastic film. The production of plastic in fact take only a 1,6% on the whole European consume of Oil. The most used materials are the one named thermoplastic, which are polymers that can be worked and moulded warm to be suddenly cooled in order to obtain the wanted shape. The process is absolutely reversible to guarantee an elevate recyclability. Plastic for his multiple uses properties can be found in many of the “Infiniti” products ranges. At the end of the use plastic can be reused in three main ways: the mechanical recycling meant to transform the material into another material; the plastic waste is becoming the starting point for the new products; the chemical recycling meant to transform the waste into raw material trough the melting of the same; the last is the energetic recovery contained into the plastic waste as oil derivate and therefore completely recyclable. Furthermore is only trough the recycling process that plastic can return to a new life. To make the process easier, Infiniti products are easily unassembled so that can be quickly recognised any basic element. Any plastic item produced is marked to identify the material used, according to the European legislations to guarantee the proper separation of the elements and their real and effective recycling.

CERTIFICATIONS AND REGULATIONS

Chairs, Tables and Stools by Infiniti are resistant and last various kinds of strains; for this reasons they are tested by CATAS Institute/ TÜV or COSMOB to comply with requirements of UNI and UNI EN norms. On the following we have listed the UNI rules and respective tests that are carried out on chairs:

- UNI EN 1022 Norm (Stability).
- UNI EN 1728 (Static load on seat-back, fatigue resistance on seat-back, static load on side legs, impact on seat, impact on back, front seat edge resistance, vertical and horizontal static load on arm, fatigue on arm, static load on front legs).

Some products of Infiniti’s collection are certified by GS mark. The GS or “Geprüfte Sicherheit” (tested safety) Mark is a voluntary certification mark applied to finished products that signifies their compliance with all of the statutory requirements of the German Product Safety Act (ProdSG). The scope of the GS Mark includes essential product characteristics such as electrical safety, chemical and hazardous material use, ergonomics and noise, and also covers an evaluation of a manufacturer’s factory production. The GS Mark on a product remains valid provided that a manufacturer submits to an annual inspection of its production facilities.

ITA

LETTURA DEL LISTINO

Questo listino contiene una serie di informazioni tecniche e consigli d’uso per chi vuole acquistare o possiede già articoli facenti parte dell’ampia gamma Infiniti. Come visibile dall’indice, il listino suddivide le collezioni in: sedie, poltroncine, sgabelli, tavoli. Tutte le indicazioni presenti a listino sono presentate in triplice lingua: italiano, inglese e spagnolo. Infiniti si riserva la facoltà di apportare modifiche o migliorie al prodotto senza alcun preavviso.

COME UTILIZZARE IL LISTINO

Le pagine del listino contengono tutte le informazioni necessarie per una completa descrizione del prodotto. In particolare, per ogni prodotto sono indicati:

- Foto del prodotto;
- Nome dell’articolo;
- Tabella con:
 - finiture di telaio e scocca per sedie e sgabelli;
 - finiture della struttura e del ripiano per quanto riguarda i tavoli;
 - prezzi Iva esclusa.
- Quantità di pezzi contenuta in ogni cartone;
- Tutti i colori disponibili di scocca, telaio e ripiano;
- Una breve descrizione del prodotto;
- Le dimensioni di massima del prodotto;
- I dettagli tecnici che descrivono le caratteristiche per unità di imballo:
 - volume dell’imballo;
 - numero di pezzi contenuti in ogni imballo;
 - peso dell’articolo;
 - impliabilità dell’articolo;
 - certificazioni attestate; possibilità di utilizzo del prodotto in esterni.

Nella rappresentazione dei vari colori è indicato il nome del colore. I colori sono puramente indicativi, attenersi ai campioni per effettuare la scelta.

NOTE BENE

Il costo di un prodotto in tessuto cliente (COM) si ottiene applicando il prezzo della ecopelle. Il costo di un prodotto con pelle cliente (COM) si ottiene aumentando il prezzo del 10% dell’ecopelle. Per tessuti forniti dal cliente, oltre all’indicazione del dritto e rovescio, si richiede l’altezza in cm 140. I tessuti ci devono pervenire con reso della merce DDP. I toni di colore a campionario, relativi ai tessuti, alla pelle, alle laccature, ai cristalli e alle essenze legno, sono indicativi, in quanto possono variare da partita a partita. Infiniti declina ogni responsabilità in relazione a leggere differenze di colore. Tali differenze possono essere più evidenti per ordini successivi a completamento. Infiniti si riserva il diritto di cambiare o tecnicamente migliorare design e specifiche di ogni suo prodotto in qualsiasi momento e a sua discrezione senza darne preventiva notizia. Si riserva inoltre il diritto di ritirare, sospendere o cessare la produzione di ogni suo prodotto in qualsiasi momento e a sua discrezione senza darne preventivo avviso. Le misure riportate a listino sono indicative. Vi può essere una tolleranza dovuta alla tipologia dei materiali impiegati.

MATERIALI “INFINITI”

I METALLI

I metalli costituiscono una parte importante dei nostri prodotti: vengono utilizzati per la realizzazione di telai di sedie e strutture di tavoli. Infiniti ha fatto una lunga e approfondita ricerca sui materiali e sulle tecnologie di lavorazione. Nei nostri stabilimenti abbiamo così raggiunto un’alta specializzazione nella lavorazione dell’acciaio e dell’alluminio.

ACCIAIO

L’acciaio è usato nella creazione delle strutture di sedie e di sgabelli, con tubolari a sezione quadrata e rotonda ad alta resistenza o con tondino. Inoltre, grazie a tecnologie avanzate (laser 3D), riusciamo ad ottenere forme sempre più complesse. I prodotti sono disponibili con diverse finiture superficiali ad elevati standard qualitativi (verniciatura, satinatura, cromatura).

ALLUMINIO

Questo metallo unisce doti di leggerezza con resistenza e naturale bellezza estetica delle superfici. La superficie dell’alluminio può essere anodizzata, un trattamento speciale che ha lo scopo di aumentare la resistenza alla corrosione rendendo la superficie più opaca. Infiniti utilizza l’alluminio in tre modi:

- Pressofusione: le gambe delle sedie lucidate cromate o satinate;
- In tubo d’alluminio anodizzato;
- Estrusione.

LE MATERIE PLASTICHE

Infiniti, azienda all’avanguardia nel suo settore, punta allo sviluppo innovativo e tecnologico: per la sua produzione usa sia i polimeri termoplastici che termoidurenti. I materiali plastici spaziano dal policarbonato al san al polipropilene, permettendo la realizzazione di una vasta gamma di finiture e caratteristiche differenti. Tutti i materiali plastici sono riciclabili nel rispetto dell’ambiente.

POLIPROPILENE PP

La sua peculiarità principale è una elevata resistenza termica come pure all’abrasione; è inoltre atossico, antistatico, antimacchia ed antigraffio. Ha un’ottima resistenza agli agenti atmosferici permettendo così la produzione di oggetti che possono stare all’aperto.

I LEGNI

Lavoriamo nel rispetto delle norme nazionali ed internazionali per la salvaguardia dell'ambiente e ci avvaliamo di partner e fornitori che appoggiano l'organizzazione non governativa FSC (Forest Stewardship Council) che opera per migliorare la gestione delle foreste in tutto il mondo. Le aziende certificate FSC garantiscono che il legno contenuto nei loro prodotti, proviene da foreste gestite in maniera corretta e responsabile, secondo rigorosi standard ambientali, sociali ed economici. Utilizziamo vernici e colle a bassa emissione di formaldeide e usando razionalmente la materia prima. Il legno che utilizziamo è selezionato tra i migliori disponibili sul mercato e viene sottoposto ad una lavorazione particolare per garantirne resistenza e durata nel tempo. Essendo un materiale naturale si possono verificare differenze nella colorazione del materiale tra una partita e l'altra di legname, differenze che non sono da considerare come un difetto bensì come una garanzia dell'autenticità del legno utilizzato.

TRANCIATO DI FRASSINO

Consiste nella sovrapposizione di strati di frassino che formano dei blocchi i quali vengono tranciati perpendicolarmente alla direzione dei vari strati, così facendo si ottengono venature regolari e omogenee.

PRECOMPOSTO DI ROVERE

Si ottiene sovrapponendo diversi strati di piallacci sottili di legni della stessa specie che creano lo stesso effetto a livello di venatura e colori di legni più pregiati.

MULTISTRATI A 3D

Si ottiene sovrapponendo vari fogli di tranciato di legno che vengono incollati a fibra incrociata formando così un compensato unito al precomposto 3D, trattati di un materiale speciale brevettato che si curva nelle 3 dimensioni senza rotture.

FENIX NTM®

Materiale innovativo - nanotech, super opaco - creato per l'interior design. Con una bassa riflessione della luce, la sua superficie è estremamente opaca, anti impronte digitali e piacevolmente soft touch. La parte esteriore di FENIX NTM® NTM è ottenuta con l'ausilio di nanotecnologie ed è caratterizzata da una superficie trattata con resine acriliche di nuova generazione, indurite e fissate attraverso il processo di Electron Beam Curing. Grazie a queste caratteristiche FENIX NTM® si rigenera da eventuali micrograffi superficiali grazie alla termoirparabilità.

I TESSUTI

I tessuti che utilizziamo appartengono ad una ampia e articolata gamma di colori e fantasie, tutti assolutamente testati con l'obiettivo di ottenere le migliori caratteristiche prestazionali, tra le quali resistenza all'abrasione e resistenza alla luce artificiale. Utilizzati per rivestire sedie e poltrone, sono offerti in una vasta gamma di colori accesi e brillanti. Disponibile la collezione Kvadrat sinonimo di massima qualità e affidabilità. Disponibile la categoria di tessuto ignifugo e rivestimenti in finte pelli. È previsto anche il tessuto cliente.

LE PELLI

Le pelli che caratterizzano i rivestimenti delle creazioni Infiniti sono di assoluta qualità, come le pelli fiore provenienti da bovini europei. Numerose sono le possibilità di scelta tra pelli di tonalità diverse. Morbide ed eleganti, ma al tempo stesso molto resistenti, sono il risultato di lunghe fasi di lavorazione. La pelle viene conciata al cromo e pigmentata con resine in soluzione acquosa e per ottenere il giusto grado di morbidezza ed elasticità sono numerosi i test a cui i campioni di pelle vengono sottoposti.

RECYCLED FIBERGLASS

Il pannello Recycled Fibreglass è realizzato in compositi fibro-rinforzati riciclati (vetro-resina-kevlar-fibra di carbonio, etc) finemente lavorati e riaggregati a pressione elevata con percentuali minime di collanti vergini. Il procedimento è brevettato e genera un materiale double-green, quindi nuovamente riciclabile a fine vita. Nella fresatura, la densità omogenea del pannello (1100 kg/m3) garantisce robustezza all'intera sezione, permettendo una lavorazione tridimensionale senza rischio di sfibramento. Il pannello recomplax® 1100 è un materiale sostenibile certificato da CSI. Reazioni al fuoco: Classe 2 secondo la UNI9177.

USO E MANUTENZIONE

Per una manutenzione ottimale dei prodotti Infiniti e per mantenere inalterate le caratteristiche dei materiali con cui sono realizzati, sono necessarie alcune semplici attenzioni:

LE MATERIE PLASTICHE

Pulizia: le superfici in plastiche vanno generalmente pulite con un panno umido e soffice imbevuto di acqua, è sconsigliato l'uso di panni asciutti che con lo sfregamento potrebbero caricare elettrostaticamente la superficie plastica attirando polvere. Per le macchie più ostinate è possibile diluire in acqua del sapone liquido neutro con moderazione. Evitare assolutamente l'uso di acetone, trielina, ammoniaca o detersivi che contengono anche solo una piccola quantità di questi detergenti perché possono opacizzare la lucentezza delle superfici. Evitare nel modo più assoluto tutte le sostanze abrasive, come i detersivi in polvere, le paste abrasive, le pagliette o spugne ruvide. Uso: evitare di trascinare sulle superfici oggetti che possono rigare il materiale. Si ricordi in oltre, che i materiali plastici non possono sopportare fonti di calore diretta sulla superficie, come il contatto diretto con pentole e tegami.

I LEGNI

Pulizia: pulire con un panno umido e soffice imbevuto di acqua tiepida. Asciugare sempre dopo la pulizia. Rimuovere immediatamente eventuali sostanze liquide o altri residui per evitare l'assorbimento. Uso: le superfici in legno, essendo lo stesso un materiale naturale, potrebbero subire delle alterazioni di colore con l'utilizzo e nel tempo. Si ricordi che i legni non possono sopportare fonti di calore diretta sulla superficie, come appoggiare pentole e tegami direttamente sulla superficie. L'esposizione duratura potrebbe alterarne la colorazione.

I METALLI

Pulizia: sia le superfici metalliche in acciaio o alluminio che le superfici verniciate devono essere pulite con un panno umido e soffice imbevuto di acqua calda; per le macchie più ostinate è possibile diluire in acqua del sapone liquido neutro, con moderazione. Asciugare sempre dopo la pulizia con un panno morbido o con pelle di daino. Non usare creme e paste per pulire forni in acciaio, non usare cloro, non usare candeggina ed altri detergenti aggressivi. Sconsigliato usare paste abrasive, pagliette e spugne abrasive che possono graffiare le superfici metalliche. Uso: fare attenzione a macchie di alimenti come il caffè, succhi di frutta,

cola che se non vengono rimossi immediatamente possono lasciare macchie indelebili sulla superficie.

I TESSUTI

Pulizia: consultare i consigli per la manutenzione e lavaggio nelle finiture. Uso: ricordiamo che i tessuti sono delicati, è importante prestare attenzione al tipo di lavaggio consigliato e prestare cura durante l'uso poiché soggetti a strappi o tagli.

LE PELLI

Pulizia: pulire con panno morbido imbevuto di acqua. Uso: ricordiamo che la pelle ed il cuoio sono delicati; è importante prestare attenzione al tipo di pulizia consigliato e prestare cura durante l'uso poiché soggette a strappi o tagli. L'esposizione in ambienti o luoghi con alto tasso di umidità può causare modificazioni della struttura.

RICICLABILITÀ

La gamma dei prodotti Infiniti è costituita per la maggior parte da elementi in metallo, in materiale plastico o in legno, tutti materiali interamente riciclabili. Il metallo ad esempio è il materiale tra i più riciclati al mondo e permette di risparmiare il 95% dell'energia che si utilizza normalmente per produrlo dalla materia prima. I metalli raccolti vengono avviati in appositi centri per essere divisi in ferrosi e non ferrosi mediante magneti, metodi di flottazione, aria e manualmente. Analisi chimiche possono essere effettuate per suddividere in modo omogeneo i rifiuti. I materiali non ferrosi, tra i quali il più importante è l'alluminio, vengono pressati in balle e inviati alle fonderie. Qui i metalli sono fusi e il processo di produzione del metallo ricomincia dall'inizio, tornando materia prima, pronta per essere utilizzata per la produzione di nuovi prodotti. La riutilizzabilità, riciclabilità e recuperabilità sono obiettivi importanti della politica UE dell'ambiente che regola l'impiego delle materie plastiche, ormai parte integrante della nostra vita quotidiana. La plastica ebbe a suo tempo un successo immediato e globale proprio per le sue caratteristiche distintive, la plastica infatti ha la possibilità di essere modellata in qualsiasi forma e dimensione, attraverso tecniche di lavorazione diverse a seconda del prodotto: per colata, per stampaggio, per estrusione, per iniezione. I suoi più importanti punti di forza sono; leggerezza e lavorabilità. Il nostro mondo sembra ormai essere avvolto in un foglio di plastica. La produzione di plastica incide infatti solo per il 1.6 % sul consumo europeo di petrolio. Le materie sintetiche più utilizzate sono quelle dette termoplastiche, ovvero polimeri che possono essere lavorati e modellati a caldo e raffreddati bruscamente per mantenerne la forma voluta. Il processo è reversibile garantendone così l'elevata riciclabilità. La plastica per le sue svariate proprietà, è presente in moltissimi prodotti "Infiniti". Alla fine del suo utilizzo, la plastica può essere riutilizzata secondo tre modalità fondamentali: il riciclaggio meccanico, che prevede la trasformazione da materia a materia; il rifiuto di plastica diventa il punto di partenza per nuovi prodotti; il riciclaggio chimico che prevede il ritorno alla materia prima di base attraverso la trasformazione dei rifiuti di plastiche in materia da utilizzare nuovamente nella produzione; il recupero energetico, cioè utilizzo dell'energia contenuta nei rifiuti plastici, che deriva dal petrolio e che è interamente sfruttabile. È attraverso il riciclaggio, dunque, che la plastica può tornare a nuova vita. Per semplificare il processo di riciclaggio, i prodotti Infiniti sono facilmente disassemblabili e riconducibili ad elementi monomaterici. Sugli elementi in plastica sono impressi marchi di identificazione secondo le normative europee per consentire la corretta separazione degli elementi ed il loro effettivo riciclo.

CERTIFICAZIONI E NORMATIVE

Sedie, Tavoli e Sgabelli Infiniti sono resistenti e sopportano sollecitazioni di varia natura; per questo motivo vengono testati dall'ente Catas per soddisfare i requisiti delle normative UNI e UNI EN. Per il settore domestico è sufficiente il raggiungimento del 3° livello. Di seguito elenchiamo le normative di riferimento UNI e le relative prove che vengono eseguite sulle sedie: Normativa UNI EN 1022/98 (Stabilità); Normativa UNI EN 1728/00 (Carico statico su sedile-schienale, resistenza a fatica del sedile-schienale, carico statico sulle gambe laterali, urto sul sedile, urto sullo schienale, resistenza del fronte anteriore del sedile, carico statico verticale ed orizzontale sul bracciolo, fatica del bracciolo, carico statico gambe anteriori).

Alcuni prodotti della collezione Infiniti hanno ottenuto la certificazione GS. Il marchio GS o "Geprüfte Sicherheit" (sicurezza comprovata) è una certificazione volontaria basata sulla legge per la sicurezza dei prodotti (ProdSG) vigente in Germania e indica la conformità di un prodotto agli standard di sicurezza validi sia nel paese stesso che in Europa. Riconosciuto a livello globale, anche nella supply chain, così come il marchio TÜV SÜD il marchio GS viene rilasciato al completamento del relativo programma di verifica e ispezione e rimane valido a condizione che venga eseguita ogni anno un'ispezione di controllo sulla produzione. L'ottenimento del marchio GS dimostra l'impegno di un'azienda per la salvaguardia della salute dei consumatori e incrementa l'affidabilità dei prodotti.

SYMBOLS



Indicates that the product has passed the stress resistance tests, and has therefore been certified.



Indicates that the product is stackable.



Indicates the product suitable for outdoor use



Indicates product with swivel function



Indicates product provided with gas seat height adjustment



Finishes chair / Stool finishes



Frame finish



Shell finishes / Seat and backrest finishes



Seat finishes / Seat panel finishes



Finishes seat / Backrest finishes



Indicates that the item is suitable for indoor outdoor applications



Box size



Fireproof

POST-CONSUMER RECYCLING PRODUCTS

POST-CONSUMER RECYCLING PRODUCTS



CANOVA PCR

INFINITI TAKES A CHANCE, CREATING A VERY SPECIAL VERSION OF CANOVA, TONDINA AND PURE LOOP IN TWO COLOURS: CARAMEL AND MOKKA.



PCR02
Caramel



PCR01
Mokka



TONDINA PCR

THANKS TO THE PRODUCTION TECHNIQUE AND THE DIFFERENT COMPOSITIONS OF PLASTIC, THE FINAL EFFECT ON THE PRODUCT WILL ALWAYS LOOK DIFFERENT FROM A CHAIR TO ANOTHER, EVEN IF THEY WILL BE PRODUCED IN SERIES.



PURE LOOP PCR



FRAME
PCR01
Mokka

UPHOLSTERY
RV284
Revive 1 Kvadrat

FRAME
PCR02
Caramel

UPHOLSTERY
RV454
Revive 1 Kvadrat

CANOVA PCR

DESIGN:
CLAUS BREINHOLT

PCR PLASTIC IS MOLDED INTO A SINUOUS AND LIGHT MONOBLOC, MADE EVEN MORE COMFORTABLE BY THE SEAT PANEL THAT CAN BE COVERED WITH A WIDE RANGE OF FABRICS.

NEW FINISHES



FRAME
PCR01
Mokka

UPHOLSTERY
RV284
Revive 1 Kvadrat

FRAME

PCR

Post-Consumer Recycling



PCR01
Mokka



PCR02
Caramel

UPHOLSTERY AVAILABLE

FULL-GRAIN LEATHER

REVIVE 1 Kvadrat
100% PE FR ric.

UMAMI Kvadrat
90% WO, 10% PA

PATINA Camira
69% WO, 22% FL, 8% PQ, 1% VI

MIAMI Pintail
88% PL, 12% PE

ECO LEATHER

76% PVC, 2% PU, 22% PES

FIELD Kvadrat
100% TREVIRA

CAVA 3 Kvadrat
90% WO, 10% PA

FLASH No-Shrink
100% PP

PATIO
90% WO, 10% PA

CANVAS Kvadrat
90% WO, 10% PA

HARALD Kvadrat
100% WO

BYTE
100% PL

DIVINA 3 Kvadrat
100% WO

RECHECK Kvadrat
90% WO, 10% NY

DISCO COEX by Chiocciello
70% CO, 20% AC, 5% VI, 5% LI

DIVINA MELANGE 2 Kvadrat
100% WO

FIORD Kvadrat
92% WO, 8% NY


STEELCUT 3 Kvadrat
90% WO, 10% PA

GLOW Kvadrat
90% WO, 10% NY

CANOVA
UPHOLSTERED SEAT

h Frame

h Upholstery



PCR
Post-Consumer
Recycling

- Flash/Byte
- Eco Leather
- Patina
- Revive/Disco Coex
- Field/Cava
- Umami/Canvas/Steelcut/Recheck/Glow
- MIAMI Pintail
- Patio Kvadrat
- Divina3/DivinaMelange/Fiord/Harald
- Full Grain Leather
- COM fabric 0,60mt
- COM leather 0,60mq

2 PC
12,8 Kg / A= 53 cm / B= 67cm / h= 100cm





FRAME
PCR01
Mokka

UPHOLSTERY
CV364
Canvas Kvadrat

FRAME
PCR02
Caramel

UPHOLSTERY
CV734
Canvas Kvadrat

TONDINA PCR

DESIGN:
FAVARETTO&PARTNERS

THE PCR PLASTIC OF THE SEAT AND BACKREST PANELS ACCENTUATE THE SOFTNESS OF THE SHAPES OF TONDINA, DECORATING EVERY ENVIRONMENT WITH A STRONG PERSONALITY.


NEW FINISHES



SEAT AND BACKREST
PCR02
Caramel

FRAME
AC31
Black matt painted

FRAME				
STEEL				
				
AC01 Chrome plated	AC30 White matt painted	AC31 Black matt painted	AC12 Black chrome plated	AC13 Copper plated
SEAT AND BACKREST				
PCR				
Post-Consumer Recycling			PCR01 Mokka	PCR02 Caramel

TONDINA PCR 4 LEGS		 Frame	 Seat and backrest
		AC Matt painted steel	
		AC Chromium-plated steel	PCR Post-Consumer Recycling
		AC Coloured chromium-plated steel	
 2 PCS 12,2 Kg / A= 47,5cm / B= 63cm / h= 87cm			



SHELL
PCR01
Mokka

FRAME
AC31
Black matt
painted

SHELL
PCR02
Caramel

FRAME
AC31
Black matt
painted

PURE LOOP PCR

DESIGN:
CLAUS BREINHOLT | THE BEST SELLER MONOSHELL CHANGES SKIN AND WEARS POST-CONSUMER PLASTIC, COMMITTING ITSELF TO BECOMING THE NEW SUSTAINABLE ALMOST ICON.


NEW FINISHES



SHELL
PCR02
Caramel

FRAME
AC31
Black matt painted

FRAME				
STEEL FRAME				
	AC01 Chrome plated	AC30 White matt painted	AC31 Black matt painted	AC32 Grey matt painted
SHELL				
PCR				
Post-Consumer Recycling			PCR01 Mokka	PCR02 Caramel

PURE LOOP PCR SLED	h Frame	h Shell
 	AC Matt painted steel	PCR Post-Consumer Recycling
	AC Chromium-plated steel	
 4 PCS 28,3 Kg / A= 64 cm / B=60 cm / h=97 cm		

NEW PRODUCTS

NEW MATERIALS, FABRICS AND SHAPES ENRICH THE ALREADY WIDE VARIETY OF INFINITI, FITTING HARMONIOUSLY INTO CONTRACT PROJECTS CHARACTERIZED BY HIGH DESIGN. WE PRESENT NEW CHAIRS AND TABLES CREATED TO ENCOURAGE RELATIONSHIPS, GOOD VIBES AND HARMONY, IN ENVIRONMENTS DESIGNED TO BE SOCIAL.

SICLA

DESIGN:

CLAUS BREINHOLT

SICLA IS A RIGID "BUCKET" CHAIR, MADE OF A COMFORTABLE LIGHTWEIGHT AND THIN SHELL. TO PROVIDE STRENGTH THE EDGES AROUND THE SHELL HAVE BEEN CURVED. TO AVOID THE "HOLLOW" SENSATION OF THE SHAPE, A RIB WAS INSERTED AROUND THE BACK OF THE CHAIR, LEADING OUT INTO THE ARMREST AND GIVING STABILITY.

NEW PRODUCT









SHELL
PP503
Powder blue


FRAME
AC31
Black matt painted


— THE RIB IN THE BACK PROVIDES STABILITY TO THE REST OF THE CHAIR, GIVING ALSO A GOOD GRIP ON THE ARMREST WHEN LIFTING IT. THIS MAKES SICLA THE PERFECT CHAIR FOR COMMERCIAL ENVIRONMENTS. THE SHELL CAN HAVE UPHOLSTERED SEAT PANEL OR FULL UPHOLSTERY.


FRAME						
STEEL				AC01 Chrome plated	AC30 White matt painted	AC31 Black matt painted
ALUMINIUM						
ROCKING				AL07 Polished	AL30 White matt painted	AL31 Black matt painted
STEEL						
SOLID ASH					AC31 Black matt painted	AC01 Cromium-plated
						
					MAFR01 Natural ash	LFR09 Black stained ash
SHELL						
POLYPROPYLENE						
		PP20 White	PP31 Coal black	PP514 Sand	PP34 Peach	PP503 Powder blue
						PP513 Military green
UPHOLSTERY AVAILABLE						
FULL-GRAIN LEATHER		ECO LEATHER 76% PVC, 2% PU, 22% PES				
REVIVE 1 Kvadrat 100% PE FR ric.		FIELD Kvadrat 100% TREVIRA		DIVINA 3 Kvadrat 100% WO		STEELCUT 3 Kvadrat 90% WO, 10% PA
UMAMI Kvadrat 90% WO, 10% PA		CAVA 3 Kvadrat 90% WO, 10% PA		RECHECK Kvadrat 90% WO, 10% NY		GLOW Kvadrat 90% WO, 10% NY
PATINA Camira 69% WO, 22% FL, 8% PQ, 1% VI		FLASH No-Shrink 100% PP		DISCO COEX by Chioccarello 70% CO, 20% AC, 5% VI, 5% LI		
		BYTE 100% PL				

SICLA 4 LEGS		 Frame		 Shell	
					
			AC Matt painted steel	PP Polypropylene	
			AC Chromium-plated steel	PP Polypropylene	
	1 PCS 8,3 Kg / A= 59 cm / B= 63 cm / h= 82,5cm				

SICLA SLED		 Frame		 Shell	
			AC	PP	
			Matt painted steel	Polypropylene	
			AC	PP	
			Chromium-plated steel	Polypropylene	
 1 PCS 9,3 Kg / A= 59 cm / B= 63 cm / h= 82,5cm					


SICLA WOODEN LEGS		 Frame	 Shell
		MAFR Natural ash	PP Polypropylene
		MAFR Stained ash	PP Polypropylene
 1 PCS 7,1 Kg / A= 59 cm / B= 63 cm / h= 82,5cm			

SICLA 4 STAR ALUMINIUM BASE		 Frame	 Shell
		AL Polished aluminium	PP Polypropylene
		AL Matt painted aluminium	PP Polypropylene
 1 PCS 9,2 Kg / A= 59 cm / B= 63 cm / h= 82,5cm			

SICLA SWIVEL WITH CASTORS		 Frame		 Shell	
			AL	PP	
			Polished aluminium	Polypropylene	
			AL	PP	
			Matt painted aluminium	Polypropylene	
1 PCS					
 9,2 Kg / A= 59 cm / B= 63 cm / h= 82,5cm					

SICLA
ROCKING

h Frame h Shell



AC
Matt painted steel

PP
Polypropylene

AC
Chromium-plated steel

PP
Polypropylene

1 PCS
9,5 Kg / A= 81 cm / B= 81 cm / h= 110,5cm

SICLA
4 LEGS UPHOLSTERED PANEL

h Frame h Upholstery



AC
Matt painted steel

Flash/Byte
Eco Leather
Patina
Revive/Disco Coex
Field/Cava
Umami/Canvas/Steelcut/Recheck/Glow
Divina3/DivinaMelange/Fiord/Harald
Full Grain Leather
COM fabric 0,60mt
COM leather 0,50mq

AC
Chromium-plated steel

Flash/Byte
Eco Leather
Patina
Revive/Disco Coex
Field/Cava
Umami/Canvas/Steelcut/Recheck/Glow
Divina3/DivinaMelange/Fiord/Harald
Full Grain Leather
COM fabric 0,60mt
COM leather 0,50mq

1 PCS
8,3 Kg / A= 59 cm / B= 63 cm / h= 82,5cm

SICLA
SLED UPHOLSTERED SEAT PANEL

h Frame h Upholstery



AC
Matt painted steel

Flash/Byte
Eco Leather
Patina
Revive/Disco Coex
Field/Cava
Umami/Canvas/Steelcut/Recheck/Glow
Divina3/DivinaMelange/Fiord/Harald
Full Grain Leather
COM fabric 0,60mt
COM leather 0,50mq

AC
Chromium-plated steel

Flash/Byte
Eco Leather
Patina
Revive/Disco Coex
Field/Cava
Umami/Canvas/Steelcut/Recheck/Glow
Divina3/DivinaMelange/Fiord/Harald
Full Grain Leather
COM fabric 0,60mt
COM leather 0,50mq

1 PCS
9,3 Kg / A= 59 cm / B= 63 cm / h= 82,5cm

SICLA
WOODEN LEGS
UPHOLSTERED SEAT PANEL

h Frame h Upholstery



MAFR
Natural ash

Flash/Byte
Eco Leather
Patina
Revive/Disco Coex
Field/Cava
Umami/Canvas/Steelcut/Recheck/Glow
Divina3/DivinaMelange/Fiord/Harald
Full Grain Leather
COM fabric 0,60mt
COM leather 0,50mq

MAFR
Stained ash

Flash/Byte
Eco Leather
Patina
Revive/Disco Coex
Field/Cava
Umami/Canvas/Steelcut/Recheck/Glow
Divina3/DivinaMelange/Fiord/Harald
Full Grain Leather
COM fabric 0,60mt
COM leather 0,50mq

1 PCS
7,1 Kg / A= 59 cm / B= 63 cm / h= 82,5cm

SICLA
4 STAR ALUMINIUM BASE
UPHOLSTERED SEAT PANEL

h Frame h Upholstery



AL
Polished aluminium

Flash/Byte
Eco Leather
Patina
Revive/Disco Coex
Field/Cava
Umami/Canvas/Steelcut/Recheck/Glow
Divina3/DivinaMelange/Fiord/Harald
Full Grain Leather
COM fabric 0,60mt
COM leather 0,50mq

AL
Matt painted aluminium

Flash/Byte
Eco Leather
Patina
Revive/Disco Coex
Field/Cava
Umami/Canvas/Steelcut/Recheck/Glow
Divina3/DivinaMelange/Fiord/Harald
Full Grain Leather
COM fabric 0,60mt
COM leather 0,50mq

1 PCS
9,2 Kg / A= 59 cm / B= 63 cm / h= 82,5cm

SICLA
WITH CASTORS
UPHOLSTERED SEAT PANEL



h Frame

h Upholstery

AL
Polished aluminium

Flash/Byte
Eco Leather
Patina
Revive/Disco Coex
Field/Cava
Umami/Canvas/Steelcut/Recheck/Glow
Divina3/DivinaMelange/Fjord/Harald
Full Grain Leather
COM fabric 0,60mt
COM leather 0,50mq

AL
Matt painted aluminium

Flash/Byte
Eco Leather
Patina
Revive/Disco Coex
Field/Cava
Umami/Canvas/Steelcut/Recheck/Glow
Divina3/DivinaMelange/Fjord/Harald
Full Grain Leather
COM fabric 0,60mt
COM leather 0,50mq

1 PCS
9,2 Kg / A= 59 cm / B= 63 cm / h= 82,5cm

SICLA
4 LEGS
FULL UPHOLSTERED PANEL



h Frame

h Upholstery

AC
Matt painted steel

Flash/Byte
Eco Leather
Patina
Revive/Disco Coex
Field/Cava
Umami/Canvas/Steelcut/Recheck/Glow
Divina3/DivinaMelange/Fjord/Harald
Full Grain Leather
COM fabric 1,00mt
COM leather 120mq

AC
Chromium-plated steel

Flash/Byte
Eco Leather
Patina
Revive/Disco Coex
Field/Cava
Umami/Canvas/Steelcut/Recheck/Glow
Divina3/DivinaMelange/Fjord/Harald
Full Grain Leather
COM fabric 1,00mt
COM leather 120mq

1 PCS
8,3 Kg / A= 59 cm / B= 63 cm / h= 82,5cm

SICLA
ROCKING
UPHOLSTERED SEAT PANEL



h Frame

h Upholstery

AC
Matt painted steel

Flash/Byte
Eco Leather
Patina
Revive/Disco Coex
Field/Cava
Umami/Canvas/Steelcut/Recheck/Glow
Divina3/DivinaMelange/Fjord/Harald
Full Grain Leather
COM fabric 0,60mt
COM leather 0,50mq

AC
Chromium-plated steel

Flash/Byte
Eco Leather
Patina
Revive/Disco Coex
Field/Cava
Umami/Canvas/Steelcut/Recheck/Glow
Divina3/DivinaMelange/Fjord/Harald
Full Grain Leather
COM fabric 0,60mt
COM leather 0,50mq

1 PCS
9,5 Kg / A= 81 cm / B= 81 cm / h= 110,5cm

SICLA
SLED
FULL UPHOLSTERED PANEL



h Frame

h Upholstery

AC
Matt painted steel

Flash/Byte
Eco Leather
Patina
Revive/Disco Coex
Field/Cava
Umami/Canvas/Steelcut/Recheck/Glow
Divina3/DivinaMelange/Fjord/Harald
Full Grain Leather
COM fabric 1,00mt
COM leather 120mq

AC
Chromium-plated steel

Flash/Byte
Eco Leather
Patina
Revive/Disco Coex
Field/Cava
Umami/Canvas/Steelcut/Recheck/Glow
Divina3/DivinaMelange/Fjord/Harald
Full Grain Leather
COM fabric 1,00mt
COM leather 120mq

1 PCS
9,3 Kg / A= 59 cm / B= 63 cm / h= 82,5cm

SICLA
WOODEN LEGS
UPHOLSTERED SEAT PANEL



h Frame

h Upholstery

MAFR
Natural ash

Flash/Byte
Eco Leather
Patina
Revive/Disco Coex
Field/Cava
Umami/Canvas/Steelcut/Recheck/Glow
Divina3/DivinaMelange/Fjord/Harald
Full Grain Leather
COM fabric 100mt
COM leather 120mq

MAFR
Stained ash

Flash/Byte
Eco Leather
Patina
Revive/Disco Coex
Field/Cava
Umami/Canvas/Steelcut/Recheck/Glow
Divina3/DivinaMelange/Fjord/Harald
Full Grain Leather
COM fabric 100mt
COM leather 120mq

1 PCS
7,1 Kg / A= 59 cm / B= 63 cm / h= 82,5cm

SICLA
SWIVEL WITH CASTORS
FULL UPHOLSTERED PANEL



h Frame

h Upholstery

AL
Polished aluminium

Flash/Byte
Eco Leather
Patina
Revive/Disco Coex
Field/Cava
Umami/Canvas/Steelcut/Recheck/Glow
Divina3/DivinaMelange/Fjord/Harald
Full Grain Leather
COM fabric 100mt
COM leather 120mq

AL
Matt painted aluminium

Flash/Byte
Eco Leather
Patina
Revive/Disco Coex
Field/Cava
Umami/Canvas/Steelcut/Recheck/Glow
Divina3/DivinaMelange/Fjord/Harald
Full Grain Leather
COM fabric 100mt
COM leather 120mq

1 PCS
9,2 Kg / A= 59 cm / B= 63 cm / h= 82,5cm

SICLA
4 STAR ALUMINIUM BASE
UPHOLSTERED SEAT PANEL



h Frame

h Upholstery

AL
Polished aluminium

Flash/Byte
Eco Leather
Patina
Revive/Disco Coex
Field/Cava
Umami/Canvas/Steelcut/Recheck/Glow
Divina3/DivinaMelange/Fjord/Harald
Full Grain Leather
COM fabric 100mt
COM leather 120mq

AL
Matt painted aluminium

Flash/Byte
Eco Leather
Patina
Revive/Disco Coex
Field/Cava
Umami/Canvas/Steelcut/Recheck/Glow
Divina3/DivinaMelange/Fjord/Harald
Full Grain Leather
COM fabric 100mt
COM leather 120mq

1 PCS
9,2 Kg / A= 59 cm / B= 63 cm / h= 82,5cm

SICLA
ROCKING
FULL UPHOLSTERED PANEL



h Frame

h Upholstery

AC
Matt painted steel

Flash/Byte
Eco Leather
Patina
Revive/Disco Coex
Field/Cava
Umami/Canvas/Steelcut/Recheck/Glow
Divina3/DivinaMelange/Fjord/Harald
Full Grain Leather
COM fabric 100mt
COM leather 120mq

AC
Chromium-plated steel

Flash/Byte
Eco Leather
Patina
Revive/Disco Coex
Field/Cava
Umami/Canvas/Steelcut/Recheck/Glow
Divina3/DivinaMelange/Fjord/Harald
Full Grain Leather
COM fabric 100mt
COM leather 120mq

1 PCS
9,5 Kg / A= 81 cm / B= 81 cm / h= 110,5cm



FRAME	SHELL	UPHOLSTERY
AC01	PP31	RV224
Black matt painted	Coal black	Revive

FRAME	SHELL
AL31	PP503
Black matt painted	Powder blue

EASTWOOD

DESIGN:

ANDREAS OSTWALD

IN THE NEW EASTWOOD CHAIR, A SOLID ASH STRUCTURE MEETS POLYPROPYLENE, CREATING AN INTRIGUING INTERSECTION OF SINUOUS LINES. THE SLIGHTLY CURVED BACK PANEL REST GENTLY ON THE FRAME, MAXIMIZING COMFORT. THE COLOR PALETTE FOR THE SEAT AND BACKRESTREST MAKES EASTWOOD MATCHABLE TO ANY CLASSIC AND MODERN SETTING.

NEW PRODUCT



THE CHAIR FRAME IN NATURAL OR BLACK STAINED ASH GENTLY SUPPORTS THE BACKREST AND RECALLS THE COLORS, THANKS TO THE MATCHING POLYPROPYLENE INSERTS.



FRAME
MAFR09
Black stained ash

SEAT AND BACKREST
PP22
Tobacco

FRAME

ASH



MAFR01
Natural ash



MAFR09
Black stained ash

SEAT AND BACKREST

POLYPROPYLENE



PP20
White



PP31
Coal black



PP22
Tobacco



PP421C
Almond



PP503
Powder blue


EASTWOOD



Frame



Seat and backrest



MAFR
Natural ash

PP
Polypropylene

MAFR
Stained ash

PP
Polypropylene



2 PCS
11,5 Kg / A= 70 cm / B=50 cm / h=98 cm



EASTWOOD

FRAME MAFR01 Natural ash	SEAT AND BACKREST PP503 Powder blue
--------------------------------	---

NEXT TABLE	LEGS MAR03 Natural oak	TOP FX01 Fenix white
---------------	------------------------------	----------------------------

FELUCA

DESIGN:

BROGLIATOTRAVERSO

THE FELUCA HAT ("BECORN HAT" IN ENGLISH) IS AN ANCIENT HEADGEAR USED IN THE EIGHTEENTH CENTURY AND CHARACTERIZED BY TWO DOWNWARD CURVED EXTREMITIES. IT IS NO COINCIDENCE IF BROGLIATOTRAVERSO CHOSE THIS NAME FOR THEIR NEW CHAIR, SINCE THE BACK PANEL HAS A SHAPE THAT STRONGLY REMINDS IT. THIS PARTICULAR DESIGN GIVES A SENSE OF MOVEMENT, ERASING ANY RIGIDITY AND ENHANCING HARMONY AND REFINEMENT.

NEW PRODUCT





FRAME
AC45
Oxide red fine textured

SEAT AND BACKREST
LFR01
Natural

FRAME

STEEL



AC44
White fine textured



AC57
Black fine textured



AC41
Light grey fine textured



AC45
Oxide red fine textured

SEAT AND BACKREST

ASH



LFR01
Natural ash



LFR08
Black stained ash



LFR27
Grey stained ash



FELUCA



Frame



Seat and backrest



AC
Fine textured steel

LFR
Natural ash

AC
Fine textured steel

LFR
Stained ash



2 PCS
12,8 Kg / A= 49 cm / B=69 cm / h=96,5 cm





FRAME
AC41
Light grey
fine textured

SEAT AND BACKREST
LFR01
Natural ash

EKKI

DESIGN:

mC.dsg

MC.DSG WANTS TO PAY HOMAGE TO EARLY TWENTIETH CENTURY DESIGNERS WITH EKKI, A CHAIR WITH A RETRO DESIGN. ENRICHED BY CONTEMPORARY ELEMENTS SUCH AS THE METAL DETAIL PLACED ON THE BACK SIDE OF THE RECTANGULAR BACKREST, AND THE VISIBLE ASSEMBLY COMPONENTS.

NEW PRODUCT



FRAME	SEAT AND BACKREST	DETAIL
LR03	LR03	AC44
Natural oak	Natural oak	White fine textured





THE WARM TEXTURE OF OAK WELCOMES A DETAIL ON THE BACK OF THE BACKREST: AN ELEMENT IN PAINTED STEEL THAT CAN BECOME ALSO AN ELEGANT ARMREST.

FRAME				
SOLID BEECH				
		MAF24 Black lacquered	MAF25 Grey lacquered	MAF26 Green lacquered
SOLID OAK				
			LR03 Natural oak	LR08 Black stained oak
SEAT AND BACKRESTREST				
PLYWOOD BEECH				
		MAF24 Black lacquered	MAF25 Grey lacquered	MAF26 Green lacquered
PLYWOOD OAK				
		LV06 Stratus Superior American Walnut	LR03 Natural oak	LR08 Black stained oak
ARMREST				
STEEL				

AC44 White fine textured	AC57 Black fine textured	AC41 Light grey fine textured	AC58 Green fine textured
-----------------------------	-----------------------------	----------------------------------	-----------------------------

EKKI



MAF
Lacquered beech

MAF
Lacquered beech

LR
Natural oak/
Black stained

LR
Stratus Superior
American Walnut

LR
Natural oak/
Black stained



MAF
Lacquered beech

LR
Natural oak/
Black stained

LR
Stratus Superior
American Walnut

2 PCS
12,5 Kg / A= 60 cm / B=53 cm / h=88,5 cm

EKKI
WITH ARMS



MAF
Lacquered beech

MAF
Lacquered beech

LR
Natural oak/
Black stained

AC
Steel

LR
Stratus Superior
American Walnut

LR
Natural oak/
Black stained

MAF
Lacquered beech

LR
Natural oak/
Black stained

AC
Steel

LR
Stratus Superior
American Walnut

1 PCS
8 Kg / A= 52 cm / B=58 cm / h=84 cm



FRAME

LR03
Natural oak

SEAT AND BACKREST

LR03
Natural oak

DETAIL

AC57
Black fine textured

BOMBOM

DESIGN:

FAVARETTO&PARTNERS

YOU WILL FIND IN BOMBOM EVERYTHING YOU CAN EXPECT FROM AN ARMCHAIR: SOFTNESS, SMOOTHNESS, FLUFFINESS, SENSATIONS FULLY EVOKED BY ITS NAME. THE ROUNDED SHAPE INVITES YOU TO GET COMFORTABLE ON ITS GENEROUS SEAT.

NEW PRODUCT






FRAME
AC31
Black matt painted

UPHOLSTERY
INSIDE FO971
OUTSIDE FO991
Fiord Kvadrat

FRAME				
STEEL				
	AC01 Cromium-plated	AC31 Black matt painted	AC12 Black chrome	AC13 Copper chrome

UPHOLSTERY AVAILABLE					
FULL-GRAIN LEATHER		ECO LEATHER			
		76% PVC, 2% PU, 22% PES			
REVIVE 1 Kvadrat	FIELD Kvadrat	CANVAS Kvadrat	DIVINA 3 Kvadrat	DIVINA MELANGE 2 Kvadrat	STEELCUT 3 Kvadrat
100% PE FR ric.	100% TREVIRA	90% WO, 10% PA	100% WO	100% WO	90% WO, 10% PA
UMAMI Kvadrat	HARALD Kvadrat	RECHECK Kvadrat	FIORD Kvadrat	GLOW Kvadrat	PATINA Camira
90% WO, 10% PA	100% WO	90% WO, 10% NY	92% WO, 8% NY	90% WO, 10% NY	69% WQ, 22% FL, 8% PQ, 1% VI
FLASH No-Shrink	BYTE				
100% PP	100% PL				

BOMBOM
4 LEGS



h Frame h Upholstery

AC
Matt painted steel

Flash/Byte
Eco Leather
Patina
Revive
Field/Cava
Umami/Canvas/Steelcut/Recheck/Glow
Divina3/DivinaMelange/Fiord/Harald
Full Grain Leather
COM fabric IN 2,70mt / OUT 1,50mt
COM leather IN 4,50mq / OUT 2,5mq

AC
Chromium-plated steel


Flash/Byte
Eco Leather
Patina
Revive
Field/Cava
Umami/Canvas/Steelcut/Recheck/Glow
Divina3/DivinaMelange/Fiord/Harald
Full Grain Leather
COM fabric IN 2,70mt / OUT 1,50mt
COM leather IN 4,50mq / OUT 2,5mq

AC
Coloured chromium-plated steel

Flash/Byte
Eco Leather
Patina
Revive
Field/Cava
Umami/Canvas/Steelcut/Recheck/Glow
Divina3/DivinaMelange/Fiord/Harald
Full Grain Leather
COM fabric IN 2,70mt / OUT 1,50mt
COM leather IN 4,50mq / OUT 2,5mq

1 PCS
27,5 Kg / A= 84cm / B= 80cm / h= 78cm

BOMBOM
4 STAR



h Frame h Upholstery

AC
Matt painted steel

Flash/Byte
Eco Leather
Patina
Revive
Field/Cava
Umami/Canvas/Steelcut/Recheck/Glow
Divina3/DivinaMelange/Fiord/Harald
Full Grain Leather
COM fabric IN 2,70mt / OUT 1,50mt
COM leather IN 4,50mq / OUT 2,5mq

AC
Chromium-plated steel

Flash/Byte
Eco Leather
Patina
Revive
Field/Cava
Umami/Canvas/Steelcut/Recheck/Glow
Divina3/DivinaMelange/Fiord/Harald
Full Grain Leather
COM fabric IN 2,70mt / OUT 1,50mt
COM leather IN 4,50mq / OUT 2,5mq

AC
Coloured chromium-plated steel

Flash/Byte
Eco Leather
Patina
Revive
Field/Cava
Umami/Canvas/Steelcut/Recheck/Glow
Divina3/DivinaMelange/Fiord/Harald
Full Grain Leather
COM fabric IN 2,70mt / OUT 1,50mt
COM leather IN 4,50mq / OUT 2,5mq

1 PCS
30,6 Kg / A= 84cm / B= 80cm / h= 78cm





BOMBOM

FRAME

AC31
Black matt painted

UPHOLSTERY

INSIDE SC446
OUTSIDE SC453
Steelcut Kvadrat

DIAPASON TABLE

BASE

AC31
Black

TOP

FX02
Black

FLINK TABLE

DESIGN:

THOMAS PEDERSEN

THE MINIMALISM OF FLINK FINDS THE PERFECT EXPRESSION IN THE NEW TABLE AVAILABLE IN THREE HEIGHTS, PERFECT FOR BARS, BISTROS, WAITING AREAS. AVAILABLE ALSO WITH OUTDOOR FINISH.

NEW PRODUCT





BASE

AC40

Lead grey fine textured

TABLE TOP

FX03

Fenix Anthracite

BASE

STEEL



TABLE TOP

STAINLESS STEEL



LAMINATE



FENIX NTM®



FX01

White

FX02

Black



FX03

Anthracite

Edge

10mm

FLINK TABLE



H.
Height

450mm

710mm

1070mm

B.
Base

Ø 555mm

C.
Top

Ø600mm

Ø700mm

Ø800mm

TUBE

H450mm
H710mm
H1070mm

WEIGHT

1,4 kg

2,4 kg

3,5 kg

A x B x h

7x7x35 cm

7x7x61 cm

7x7x97 cm

BASE AND SUPPORT
BALLAST

WEIGHT

8,9 kg

15 kg

A x B x h

57x57x19 cm

57x57x2 cm

TABLE TOP

Ø 600
Ø 700
Ø 800

WEIGHT

AC - 7,6 kg

LM - 6,7 kg

FX - 5,9 kg

57x57x19 cm

AC - 10,2 kg

LM - 8,9 kg

FX - 7,4 kg

57x57x2 cm

-

LM - 11,6 kg

FX - 10 kg

57x57x2 cm

**FLINK TABLE**

BASE

AC44

White fine textured

TABLE TOP

FX01

Fenix white

KLEJN BAR STOOL

FRAME

AC12

Black chrome plated

SEAT AND BACKREST

LFR01

Natural ash

FELUCA

FRAME

AC47

Dove grey fine textured

SEAT PANEL

MAR01

Natural ash

DIAPASON

DESIGN:

FAVARETTO&PARTNERS

STRONGLY ICONIC BUT AT THE SAME TIME ELEGANT CAPABLE OF DECORATING THE MOST DIFFERENT ENVIRONMENTS; TWO HEIGHTS, DIFFERENT TABLE TOPS...DIAPASON MAKES ITS WAY!

NEW PRODUCT





BASE
AC31
Black

TABLE TOP
FX02
Fenix black



DIAPASON TABLE

BASE
AC31
Black

TABLE TOP
FX02
Black


RELIEF 4 LEGS

FRAME
MAFR01
Natural ash

UPHOLSTERY
GL143
Glow Kwadrat

BASE			
STEEL			
		AC31 Black	AC20 Bianco
TABLE TOP			
STAINLESS STEEL			
	AC31 Black	AC20 Bianco	Edge 3mm
LAMINATE			
	LM02 Black	LM02 Bianco	Edge 3mm
FENIX NTM®			
	FX02 Black	FX01 Bianco	Edge 3mm

DIAPASON
H 450



H.
Height

450 mm


B.
Base

Ø450

A.
Top

Ø600
Ø700

DIAPASON
H 710



H.
Height

710 mm

B.
Base

Ø450

A.
Top

Ø600
Ø700
Ø800

TUBE	WEIGHT	 A x B x h
H450mm	2,5 kg	44x23x5 cm
H710mm	4 kg	73x23x5 cm

BASE AND SUPPORT	WEIGHT	 A x B x h
	14,1 kg	52,5x51x6 cm

TABLE TOP	WEIGHT				 A x B x h
Ø 600	AC - 7,6 kg	LM - 6,7 kg	FX - 5,9 kg		57x57x19 cm
Ø 700	AC - 10,2 kg	LM - 8,9 kg	FX - 7,4 kg		57x57x2 cm
Ø 800	-	LM - 11,6 kg	FX - 10 kg		57x57x2 cm

RANGE EXTENSIONS

EVERY INFINITI PRODUCT FOLLOWS
THE EVOLUTION AND DEMANDS OF
THE CONTEMPORARY WORLD.
WE PRESENT THE INFINITI RANGE
EXTENSIONS: FINISHES, DIMENSIONS,
UPHOLSTERY DESTINED TO BECOME
ALMOST ICONS.

RELIEF

DESIGN:

FAVARETTO&PARTNERS

THE RELIEF FAMILY WIDENS: THE POLYPROPYLENE SHELL, SUPPORTED BY DIFFERENT BASES, IS NOW AVAILABLE WITH UPHOLSTERED SEAT AND BACKREST PANELS. THE RANGE IS COMPLETED BY A NEW VERSION WITH A SOLID ASH FRAME, WITH OR WITHOUT ARMS, AVAILABLE ALSO WITH FULLY UPHOLSTERED SHELL.

RANGE EXTENSION





WOODEN FRAME

MAFR09

Graphite black stained

SHELL

PT42



Patina

FRAME				
	STEEL			
				
	AC01 Chrome plated	AC30 White matt painted	AC31 Black matt painted	AC32 Grey matt painted
ALUMINIUM BASE AND SUPPORT				
				
		AL07 Polished	AL30 White matt painted	AL31 Black matt painted
WOODEN FRAME				
	SOLID ASH			
				
			MAFR01 Natural	MAFR09 Graphite black stained


SHELL					
	POLYPROPYLENE				
					
	PP20 White	PP31 Coal black	PP07 Cement grey	PP503 Powder blue	PP514 Sand

UPHOLSTERY AVAILABLE					
FULL-GRAIN LEATHER					
ECO LEATHER 76% PVC, 2% PU, 22% PES					
REVIVE 1 Kvadrat 100% PE FR ric.	FIELD Kvadrat 100% TREVIRA	CANVAS Kvadrat 90% WO, 10% PA	DIVINA 3 Kvadrat 100% WO	DIVINA MELANGE 2 Kvadrat 100% WO	STEELCUT 3 Kvadrat 90% WO, 10% PA
UMAMI Kvadrat 90% WO, 10% PA	HARALD Kvadrat 100% WO	RECHECK Kvadrat 90% WO, 10% NY	FIORD Kvadrat 92% WO, 8% NY	GLOW Kvadrat 90% WO, 10% NY	PATINA Camira 69% WO, 22% FL, 8% PQ, 1% VI
FLASH No-Shrink 100% PP	BYTE 100% PL	DISCO COEX by Chioccarello 70% CO, 20% AC, 5% VI, 5% LI			

OPTIONAL ON REQUEST	
	LINKING DEVICE RELIEF SLED

RELIEF WOODEN LEGS	 Frame		 Shell	
			MAFR Solid ash	PP Polypropylene
			MAFR Stained ash	PP Polypropylene
 1 PCS 8,5 Kg / A= 47,5 cm / B=58 cm / h=83 cm				

RELIEF
WOODEN LEGS WITH ARMS



1 PCS
9,5 Kg / A= 63 cm / B=57 cm / h=83 cm

h Frame

h Shell

Excluding VAT


MAFR
Solid ash

PP
Polypropylene

MAFR
Stained ash

PP
Polypropylene

RELIEF
4 LEGS UPHOLSTERED SEAT



2 PCS
12 Kg / A= 53,5 cm / B=59 cm / h=89 cm

h Frame

h Upholstery


AC
Matt painted steel

Flash/Byte
Eco Leather
Patina
Revive/Disco Coex
Field
Umami/Canvas/Steelcut/Recheck/Glow
Divina3/DivinaMelange/Fjord/Harald
Full Grain Leather
COM fabric 0,65mt
COM leather 0,50mq

AC
Chromium-plated steel

Flash/Byte
Eco Leather
Patina
Revive/Disco Coex
Field
Umami/Canvas/Steelcut/Recheck/Glow
Divina3/DivinaMelange/Fjord/Harald
Full Grain Leather
COM fabric 0,65mt
COM leather 0,50mq

RELIEF
4 LEGS WITH ARMS UPHOLSTERED SEAT



2 PCS
13,5 Kg / A= 59 cm / B=64 cm / h=97,5 cm

h Frame

h Upholstery


AC
Matt painted steel

Flash/Byte
Eco Leather
Patina
Revive/Disco Coex
Field
Umami/Canvas/Steelcut/Recheck/Glow
Divina3/DivinaMelange/Fjord/Harald
Full Grain Leather
COM fabric 0,65mt
COM leather 0,50mq

AC
Chromium-plated steel

Flash/Byte
Eco Leather
Patina
Revive/Disco Coex
Field
Umami/Canvas/Steelcut/Recheck/Glow
Divina3/DivinaMelange/Fjord/Harald
Full Grain Leather
COM fabric 0,65mt
COM leather 0,50mq

RELIEF
SLED UPHOLSTERED SEAT



2 PCS
14,5 Kg / A= 64 cm / B=60 cm / h=97 cm

h Frame

h Upholstery


AC
Matt painted steel

Flash/Byte
Eco Leather
Patina
Revive/Disco Coex
Field
Umami/Canvas/Steelcut/Recheck/Glow
Divina3/DivinaMelange/Fjord/Harald
Full Grain Leather
COM fabric 0,65mt
COM leather 0,50mq

AC
Chromium-plated steel

Flash/Byte
Eco Leather
Patina
Revive/Disco Coex
Field
Umami/Canvas/Steelcut/Recheck/Glow
Divina3/DivinaMelange/Fjord/Harald
Full Grain Leather
COM fabric 0,65mt
COM leather 0,50mq

RELIEF
4 STAR ALUMINIUM BASE
UPHOLSTERED SEAT



1 PCS
9,8 Kg / A= 59 cm / B=64 cm / h=87 cm

h Frame

h Upholstery


AL
Polished aluminium

Flash/Byte
Eco Leather
Patina
Revive/Disco Coex
Field
Umami/Canvas/Steelcut/Recheck/Glow
Divina3/DivinaMelange/Fjord/Harald
Full Grain Leather
COM fabric 0,65mt
COM leather 0,50mq


AL
Matt painted aluminium

Flash/Byte
Eco Leather
Patina
Revive/Disco Coex
Field
Umami/Canvas/Steelcut/Recheck/Glow
Divina3/DivinaMelange/Fjord/Harald
Full Grain Leather
COM fabric 0,65mt
COM leather 0,50mq

RELIEF
SWIVEL WITH CASTORS
UPHOLSTERED SEAT

		h Frame	h Upholstery
	AL Polished aluminium	Flash/Byte Eco Leather Patina Revive/Disco Coex Field Umami/Canvas/Steelcut/Recheck/Glow Divina3/DivinaMelange/Fjord/Harald Full Grain Leather COM fabric 0,65mt COM leather 0,50mq	Flash/Byte Eco Leather Patina Revive/Disco Coex Field Umami/Canvas/Steelcut/Recheck/Glow Divina3/DivinaMelange/Fjord/Harald Full Grain Leather COM fabric 0,65mt COM leather 0,50mq
	AL Matt painted aluminium	Flash/Byte Eco Leather Patina Revive/Disco Coex Field Umami/Canvas/Steelcut/Recheck/Glow Divina3/DivinaMelange/Fjord/Harald Full Grain Leather COM fabric 0,65mt COM leather 0,50mq	Flash/Byte Eco Leather Patina Revive/Disco Coex Field Umami/Canvas/Steelcut/Recheck/Glow Divina3/DivinaMelange/Fjord/Harald Full Grain Leather COM fabric 0,65mt COM leather 0,50mq
 1 PCS 9,5 Kg / A= 63 cm / B=59 cm / h=86 cm			

RELIEF
4 STAR UPDOWN UPHOLSTERED SEAT

		h Frame	h Upholstery
	AL Polished aluminium	Flash/Byte Eco Leather Patina Revive/Disco Coex Field Umami/Canvas/Steelcut/Recheck/Glow Divina3/DivinaMelange/Fjord/Harald Full Grain Leather COM fabric 0,65mt COM leather 0,50mq	Flash/Byte Eco Leather Patina Revive/Disco Coex Field Umami/Canvas/Steelcut/Recheck/Glow Divina3/DivinaMelange/Fjord/Harald Full Grain Leather COM fabric 0,65mt COM leather 0,50mq
	AL Matt painted aluminium	Flash/Byte Eco Leather Patina Revive/Disco Coex Field Umami/Canvas/Steelcut/Recheck/Glow Divina3/DivinaMelange/Fjord/Harald Full Grain Leather COM fabric 0,65mt COM leather 0,50mq	Flash/Byte Eco Leather Patina Revive/Disco Coex Field Umami/Canvas/Steelcut/Recheck/Glow Divina3/DivinaMelange/Fjord/Harald Full Grain Leather COM fabric 0,65mt COM leather 0,50mq
 1 PCS 10,6 Kg / A= 63 cm / B=59 cm / h=86 cm			

RELIEF
WOODEN LEGS UPHOLSTERED SEAT

	MAFR Solid ash	PP Polypropylene	Flash/Byte Eco Leather Patina Revive/Disco Coex Field Umami/Canvas/Steelcut/Recheck/Glow Divina3/DivinaMelange/Fjord/Harald Full Grain Leather COM fabric 0,65mt COM leather 0,50mq
	MAFR Stained ash	PP Polypropylene	Flash/Byte Eco Leather Patina Revive/Disco Coex Field Umami/Canvas/Steelcut/Recheck/Glow Divina3/DivinaMelange/Fjord/Harald Full Grain Leather COM fabric 0,65mt COM leather 0,50mq
 1PCS 8,5 Kg / A= 47,5 cm / B=58 cm / h=83 cm			

RELIEF
WOODEN LEGS WITH ARMS
UPHOLSTERED SEAT

	MAFR Solid ash	AC Matt painted steel	Flash/Byte Eco Leather Patina Revive/Disco Coex Field Umami/Canvas/Steelcut/Redcheck/Glow Divina3/DivinaMelange/Fjord/Harald Full Grain Leather COM fabric 0,65mt COM leather 0,50mq
	MAFR Stained ash	AC Chromium-plated steel	Flash/Byte Eco Leather Patina Revive/Disco Coex Field Umami/Canvas/Steelcut/Redcheck/Glow Divina3/DivinaMelange/Fjord/Harald Full Grain Leather COM fabric 0,65mt COM leather 0,50mq
 1PCS 9,5 Kg / A= 63 cm / B=57 cm / h=83 cm			

RELIEF
4 LEGS UPHOLSTERED
SEAT AND BACKREST PANEL

	 Frame	 Upholstery
	AC Matt painted steel	Flash/Byte Eco Leather Patina Revive/Disco Coex Field Umami/Canvas/Steelcut/Recheck/Glow Divina3/DivinaMelange/Fjord/Harald Full Grain Leather COM fabric 0,65mt COM leather 1,00mq
	AC Chromium-plated steel	Flash/Byte Eco Leather Patina Revive/Disco Coex Field Umami/Canvas/Steelcut/Recheck/Glow Divina3/DivinaMelange/Fjord/Harald Full Grain Leather COM fabric 0,65mt COM leather 1,00mq
 2 PCS 12 Kg / A= 53,5 cm / B=59 cm / h=89 cm	 ²	

RELIEF
SLED UPHOLSTERED
SEAT AND BACKREST PANEL

	 Frame	 Upholstery
	AC Matt painted steel	Flash/Byte Eco Leather Patina Revive/Disco Coex Field Umami/Canvas/Steelcut/Recheck/Glow Divina3/DivinaMelange/Fjord/Harald Full Grain Leather COM fabric 0,65mt COM leather 1,00mq
	AC Chromium-plated steel	Flash/Byte Eco Leather Patina Revive/Disco Coex Field Umami/Canvas/Steelcut/Recheck/Glow Divina3/DivinaMelange/Fjord/Harald Full Grain Leather COM fabric 0,65mt COM leather 1,00mq
 2 PCS 14,5 Kg / A= 64 cm / B=60 cm / h=97 cm	 ²	

RELIEF
4 LEGS WITH ARMS
UPHOLSTERED SEAT AND BACKREST PANEL

	 Frame	 Upholstery
	AC Matt painted steel	Flash/Byte Eco Leather Patina Revive/Disco Coex Field Umami/Canvas/Steelcut/Recheck/Glow Divina3/DivinaMelange/Fjord/Harald Full Grain Leather COM fabric 0,65mt COM leather 1,00mq
	AC Chromium-plated steel	Flash/Byte Eco Leather Patina Revive/Disco Coex Field Umami/Canvas/Steelcut/Recheck/Glow Divina3/DivinaMelange/Fjord/Harald Full Grain Leather COM fabric 0,65mt COM leather 1,00mq
 2 PCS 13,5 Kg / A= 59 cm / B=64 cm / h=97,5 cm	 ²	

RELIEF
4 STAR ALUMINIUM BASE
UPHOLSTERED SEAT AND BACKREST PANEL

	 Frame	 Upholstery
	AL Polished aluminium	Flash/Byte Eco Leather Patina Revive/Disco Coex Field Umami/Canvas/Steelcut/Recheck/Glow Divina3/DivinaMelange/Fjord/Harald Full Grain Leather COM fabric 0,65mt COM leather 1,00mq
	AL Matt painted aluminium	Flash/Byte Eco Leather Patina Revive/Disco Coex Field Umami/Canvas/Steelcut/Recheck/Glow Divina3/DivinaMelange/Fjord/Harald Full Grain Leather COM fabric 0,65mt COM leather 1,00mq
 1 PCS 9,8 Kg / A= 59 cm / B=64 cm / h=87 cm		

RELIEF
SWIVEL WITH CASTORS
UPHOLTERED SEAT AND BACKREST PANEL



 **1 PCS**
9,5 Kg / A= 63 cm / B=59 cm / h=86 cm

 Frame

 Upholstery

AL
Polished aluminium

Flash/Byte
Eco Leather
Patina
Revive/Disco Coex
Field
Umami/Canvas/Steelcut/Recheck/Glow
Divina3/DivinaMelange/Fjord/Harald
Full Grain Leather
COM fabric 0,65mt
COM leather 1,00mq

AL
Matt painted aluminium

Flash/Byte
Eco Leather
Patina
Revive/Disco Coex
Field
Umami/Canvas/Steelcut/Recheck/Glow
Divina3/DivinaMelange/Fjord/Harald
Full Grain Leather
COM fabric 0,65mt
COM leather 1,00mq

RELIEF
WOODEN LEGS
UPHOLSTERED SEAT AND BACKREST PANEL



 **1 PCS**
8,5 Kg / A= 47,5 cm / B=58 cm / h=83 cm

 Frame

 Upholstery

MAFR
Solid ash

Flash/Byte
Eco Leather
Patina
Revive/Disco Coex
Field
Umami/Canvas/Steelcut/Recheck/Glow
Divina3/DivinaMelange/Fjord/Harald
Full Grain Leather
COM fabric 0,65mt
COM leather 1,00mq

MAFR
Stained ash

Flash/Byte
Eco Leather
Patina
Revive/Disco Coex
Field
Umami/Canvas/Steelcut/Recheck/Glow
Divina3/DivinaMelange/Fjord/Harald
Full Grain Leather
COM fabric 0,65mt
COM leather 1,00mq

RELIEF
4 STAR UPDOWN UPHOLSTERED SEAT
AND BACKREST PANEL



 **1 PCS**
10,6 Kg / A= 63 cm / B=59 cm / h=86 cm

 Frame

 Upholstery

AL
Polished aluminium

Flash/Byte
Eco Leather
Patina
Revive/Disco Coex
Field
Umami/Canvas/Steelcut/Recheck/Glow
Divina3/DivinaMelange/Fjord/Harald
Full Grain Leather
COM fabric 0,65mt
COM leather 1,00mq

AL
Matt painted aluminium

Flash/Byte
Eco Leather
Patina
Revive/Disco Coex
Field
Umami/Canvas/Steelcut/Recheck/Glow
Divina3/DivinaMelange/Fjord/Harald
Full Grain Leather
COM fabric 0,65mt
COM leather 1,00mq

RELIEF
WOODEN LEGS WITH ARMS
UPHOLSTERED SEAT AND BACKREST PANEL



 **1 PCS**
9,5 Kg / A= 63 cm / B=57 cm / h=83 cm

 Frame

 Upholstery

MAFR
Solid ash

Flash/Byte
Eco Leather
Patina
Revive/Disco Coex
Field
Umami/Canvas/Steelcut/Recheck/Glow
Divina3/DivinaMelange/Fjord/Harald
Full Grain Leather
COM fabric 0,65mt
COM leather 1,00mq

MAFR
Stained ash

Flash/Byte
Eco Leather
Patina
Revive/Disco Coex
Field
Umami/Canvas/Steelcut/Recheck/Glow
Divina3/DivinaMelange/Fjord/Harald
Full Grain Leather
COM fabric 0,65mt
COM leather 1,00mq

RELIEF
4 LEGS FULLY UPHOLSTERED

	 Frame	 Upholstery
	AC Matt painted steel	Flash/Byte Eco Leather Patina Revive/Disco Coex Field Umami/Canvas/Steelcut/Recheck/Glow Divina3/DivinaMelange/Fjord/Harald Full Grain Leather COM fabric 100mt COM leather 140mq
	AC Chromium-plated steel	Flash/Byte Eco Leather Patina Revive/Disco Coex Field Umami/Canvas/Steelcut/Recheck/Glow Divina3/DivinaMelange/Fjord/Harald Full Grain Leather COM fabric 100mt COM leather 140mq
 2 PCS 12 Kg / A= 53,5 cm / B=59 cm / h=89 cm	 ²	

RELIEF
SLED FULLY UPHOLSTERED

	 Frame	 Upholstery
	AC Matt painted steel	Flash/Byte Eco Leather Patina Revive/Disco Coex Field Umami/Canvas/Steelcut/Recheck/Glow Divina3/DivinaMelange/Fjord/Harald Full Grain Leather COM fabric 100mt COM leather 140mq
	AC Chromium-plated steel	Flash/Byte Eco Leather Patina Revive/Disco Coex Field Umami/Canvas/Steelcut/Recheck/Glow Divina3/DivinaMelange/Fjord/Harald Full Grain Leather COM fabric 100mt COM leather 140mq
 2 PCS 14,5 Kg / A= 64 cm / B=60 cm / h=97 cm	 ²	

RELIEF
4 LEGS WITH ARMS
FULLY UPHOLSTERED

	 Frame	 Upholstery
	AC Matt painted steel	Flash/Byte Eco Leather Patina Revive/Disco Coex Field Umami/Canvas/Steelcut/Recheck/Glow Divina3/DivinaMelange/Fjord/Harald Full Grain Leather COM fabric 100mt COM leather 140mq
	AC Chromium-plated steel	Flash/Byte Eco Leather Patina Revive/Disco Coex Field Umami/Canvas/Steelcut/Recheck/Glow Divina3/DivinaMelange/Fjord/Harald Full Grain Leather COM fabric 100mt COM leather 140mq
 2 PCS 13,5 Kg / A= 59 cm / B=64 cm / h=97,5 cm	 ²	

RELIEF
4 STAR ALUMINIUM BASE
FULLY UPHOLSTERED

	 Frame	 Upholstery
	AL Polished aluminium	Flash/Byte Eco Leather Patina Revive/Disco Coex Field Umami/Canvas/Steelcut/Recheck/Glow Divina3/DivinaMelange/Fjord/Harald Full Grain Leather COM fabric 100mt COM leather 140mq
	AL Matt painted aluminium	Flash/Byte Eco Leather Patina Revive/Disco Coex Field Umami/Canvas/Steelcut/Recheck/Glow Divina3/DivinaMelange/Fjord/Harald Full Grain Leather COM fabric 100mt COM leather 140mq
 1 PCS 9,8 Kg / A= 59 cm / B=64 cm / h=87 cm		

RELIEF
SWIVEL WITH CASTORS
FULLY UPHOLSTERED



 **1 PCS**
9,5 Kg / A= 63 cm / B=59 cm / h=86 cm

 Frame

 Upholstery

AL
Polished aluminium

Flash/Byte
Eco Leather
Patina
Revive/Disco Coex
Field
Umami/Canvas/Steelcut/Recheck/Glow
Divina3/DivinaMelange/Fjord/Harald
Full Grain Leather
COM fabric 100mt
COM leather 1,40mq

AL
Matt painted aluminium

Flash/Byte
Eco Leather
Patina
Revive/Disco Coex
Field
Umami/Canvas/Steelcut/Recheck/Glow
Divina3/DivinaMelange/Fjord/Harald
Full Grain Leather
COM fabric 100mt
COM leather 1,40mq

RELIEF
WOODEN LEGS FULLY UPHOLSTERED



 **1 PCS**
8,5 Kg / A= 47,5 cm / B=58 cm / h=83 cm

 Frame

 Upholstery

MAFR
Solid ash

Flash/Byte
Eco Leather
Patina
Revive/Disco Coex
Field
Umami/Canvas/Steelcut/Recheck/Glow
Divina3/DivinaMelange/Fjord/Harald
Full Grain Leather
COM fabric 100mt
COM leather 1,40mq

MAFR
Stained ash

Flash/Byte
Eco Leather
Patina
Revive/Disco Coex
Field
Umami/Canvas/Steelcut/Recheck/Glow
Divina3/DivinaMelange/Fjord/Harald
Full Grain Leather
COM fabric 100mt
COM leather 1,40mq

RELIEF
4 STAR UPDOWN
FULLY UPHOLSTERED



 **1 PCS**
10,6 Kg / A= 63 cm / B=59 cm / h=86 cm

 Frame

 Upholstery

AL
Polished aluminium

Flash/Byte
Eco Leather
Patina
Revive/Disco Coex
Field
Umami/Canvas/Steelcut/Recheck/Glow
Divina3/DivinaMelange/Fjord/Harald
Full Grain Leather
COM fabric 100mt
COM leather 1,40mq

AL
Matt painted aluminium

Flash/Byte
Eco Leather
Patina
Revive/Disco Coex
Field
Umami/Canvas/Steelcut/Recheck/Glow
Divina3/DivinaMelange/Fjord/Harald
Full Grain Leather
COM fabric 100mt
COM leather 1,40mq

RELIEF
WOODEN LEGS WITH ARMS
FULLY UPHOLSTERED



 **1 PCS**
9,5 Kg / A= 63 cm / B=57 cm / h=83 cm

 Frame

 Upholstery

MAFR
Solid ash

Flash/Byte
Eco Leather
Patina
Revive/Disco Coex
Field
Umami/Canvas/Steelcut/Recheck/Glow
Divina3/DivinaMelange/Fjord/Harald
Full Grain Leather
COM fabric 100mt
COM leather 1,40mq

MAFR
Stained ash

Flash/Byte
Eco Leather
Patina
Revive/Disco Coex
Field
Umami/Canvas/Steelcut/Recheck/Glow
Divina3/DivinaMelange/Fjord/Harald
Full Grain Leather
COM fabric 100mt
COM leather 1,40mq


RELIEF 4 STAR ALUMINIUM BASE

FRAME

AL30

White matt painted

UPHOLSTERY

CV654

Canvas Kvadrat

UPHOLSTERY

CV614

Canvas Kvadrat

RELIEF SLED

FRAME

AC30

White matt painted

UPHOLSTERY

CV654

Canvas Kvadrat

UPHOLSTERY

CV614

Canvas Kvadrat

HARMO

DESIGN:

BROGLIATOTRAVERSO

THREE NEW LACQUERED FINISHES DRESS THE HARMO BEECH FRAME WITH A NEW LIGHT. OPAQUE AND GLOSSY, THE COLORS BROADEN THE PALETTE OF THE NORDIC-INSPIRED CHAIR, ALSO AVAILABLE IN A STOOL VERSION.

NEW FINISHES





FRAME
MAF24
Black laquered beech

FRAME

SOLID BEECH



MAF24
Black laquered beech



MAF25
Grey laquered beech



MAF26
Green laquered beech

UPHOLSTERY AVAILABLE

FULL-GRAIN LEATHER

ECO LEATHER
76% PVC, 2% PU, 22% PES

REVIVE 1 Kvadrat
100% PE FR ric.

UMAMI Kvadrat
90% WO, 10% PA

PATINA Camira
69% WO, 22% FL, 8% PQ, 1% VI

FIELD Kvadrat
100% TREVIRA

CAVA 3 Kvadrat
90% WO, 10% PA

CANVAS Kvadrat
90% WO, 10% PA

HARALD Kvadrat
100% WO

DIVINA 3 Kvadrat
100% WO

RECHECK Kvadrat
90% WO, 10% NY

FLASH No-Shrink
100% PP

DIVINA MELANGE 2 Kvadrat
100% WO


FIORD Kvadrat
92% WO, 8% NY

STEELCUT 3 Kvadrat
90% WO, 10% PA

GLOW Kvadrat
90% WO, 10% NY

BYTE
100% PL

HARMO
CHAIR



Finishing

MAF
Laquered solid beech




2 PC
12 Kg / A= 50 cm / B= 50,5 cm / h= 79,6 cm



4

HARMO
KITCHEN STOOL



Finishing


MAF
Laquered solid beech



1 PC
9 Kg / A= 58 cm / B= 58 cm / h= 79 cm

HARMO
BAR STOOL

 Finishing



MAF
Laquered solid beech



1 PC
9,4 Kg / A= 58 cm / B= 58 cm / h= 89 cm

HARMO
UPHOLSTERED

 Frame  Upholstery



MAF
Laquered solid beech

Flash/Byte
Eco Leather
Patina
Revive
Field/Cava
Umami/Canvas/Steelcut/Redcheck/Glow
Divina3/DivinaMelange/Fjord/Harald
Full Grain Leather
COM fabric 0,60mt
COM leather 1,20mq



2 PC
12 Kg / A= 50 cm / B= 50,5 cm / h= 79,6 cm

HARMO
KITCHEN STOOL UPHOLSTERED

 Frame  Upholstery



MAF
Laquered solid beech

Flash/Byte
Eco Leather
Patina
Revive
Field/Cava
Umami/Canvas/Steelcut/Redcheck/Glow
Divina3/DivinaMelange/Fjord/Harald
Full Grain Leather
COM fabric 0,60mt
COM leather 1,20mq



1 PC
9 Kg / A= 58 cm / B= 58 cm / h= 79 cm

HARMO
BAR STOOL UPHOLSTERED

 Frame  Upholstery



MAFR
Laquered solid beech


Flash/Byte
Eco Leather
Patina
Revive
Field/Cava
Umami/Canvas/Steelcut/Redcheck/Glow
Divina3/DivinaMelange/Fjord/Harald
Full Grain Leather
COM fabric 0,60mt
COM leather 1,20mq



1 PC
9,4 Kg / A= 58 cm / B= 58 cm / h= 89 cm

HARMO
RELAX

 Frame  Upholstery



MAF
Laquered solid beech

Flash/Byte
Eco Leather
Patina
Revive
Field/Cava
Umami/Canvas/Steelcut/Redcheck/Glow
Divina3/DivinaMelange/Fjord/Harald
Full Grain Leather
COM fabric 1,70mt
COM leather 3,20mq



1 PC
12 Kg / A= 81 cm / B= 82 cm / h= 90 cm



FRAME
MAF26
Green laquered beech

RUELLE

DESIGN:

PHILIPPE TABET

RUELLE SHOWS OFF IN A BRAND NEW VERSION: THE POLYPROPYLENE OR PLYWOOD BACKREST MATCHES WITH A DELICATE NUDE ALUMINUM BODY WITH CONTRASTING LEGS. THE RESULT IS A DISTINCTIVE INDUSTRIAL MOOD, MAKING THIS CHAIR PERFECT FOR CONTEMPORARY RESTAURANTS, BARS AND BISTROS.

NEW FINISHES



ALUMINUM IS MANUFACTURED IN TWO DIFFERENT PROCESSES: THE LEGS ARE IN ANODISED EXTRUDED ALUMINUM, WHILE THE SEAT AND BACKREST SUPPORTS ARE IN DIE-CAST ALUMINUM.

FRAME
AL60
Nude aluminium

BACKREST
LR08
Black painted oak




FRAME					
NUDE ALUMINIUM					
					
AL60 Nude aluminium					
BACKREST					
POLYPROPYLENE					
					
PP20 White		PP7608U Marsala	PP32 Slate grey	PP21 Pearl grey	PP503 Powder blue
PLYWOOD OAK					
				LR03 Natural oak	LR08 Black stained oak

UPHOLSTERY AVAILABLE

FULL-GRAIN LEATHER					
ECO LEATHER 76% PVC, 2% PU, 22% PES					
REVIVE 1 Kvadrat 100% PE FR ric.	FIELD Kvadrat 100% TREVIRA	CANVAS Kvadrat 90% WO, 10% PA	DIVINA 3 Kvadrat 100% WO	DIVINA MELANGE 2 Kvadrat 100% WO	STEELCUT 3 Kvadrat 90% WO, 10% PA
UMAMI Kvadrat 90% WO, 10% PA	CAVA 3 Kvadrat 90% WO, 10% PA	HARALD Kvadrat 100% WO	RECHECK Kvadrat 90% WO, 10% NY	FIORD Kvadrat 92% WO, 8% NY	GLOW Kvadrat 90% WO, 10% NY
PATINA Camira 69% WO, 22% FL, 8% PQ, 1% VI	FLASH No-Shrink 100% PP	BYTE 100% PL	DISCO COEX by Chiocciarello 70% CO, 20% AC, 5% VI, 5% LI		

RUELLE NUDE ALUMINIUM
PLASTIC BACKREST

h Frame h Backrest



AL
Nude aluminum


PP
Polypropylene

2 PC
13,9 Kg / A= 52,5 cm / B= 60cm / h= 87,5cm



RUELLE NUDE ALUMINIUM
WOODEN BACKREST

h Frame h Backrest



AL
Nude aluminum

LR
Natural oak

LR
Stained oak

2 PC
13,9 Kg / A= 52,5 cm / B= 60cm / h= 87,5cm



RUELLE NUDE ALUMINIUM
PLASTIC BACKREST
UPHOLSTERED PANEL

h Frame h Backrest h Upholstery



AL
Nude aluminum

PP
Polypropylene

Flash/Byte
Eco Leather
Patina
Revive/Disco Coex
Field/Cava
Umami/Canvas/Steelcut/Reched/Glow
Divina3/DivinaMelange/Fiord/Harald
Full Grain Leather
COM fabric 0,60mt
COM leather 0,70mq

2 PC
13,9 Kg / A= 52,5 cm / B= 60cm / h= 87,5cm



RUELLE NUDE ALUMINIUM
WOODEN BACKREST
UPHOLSTERED PANEL

h Frame h Backrest h Upholstery



AL
Nude aluminum

LR
Natural oak

Flash/Byte
Eco Leather
Patina
Revive/Disco Coex
Field/Cava
Umami/Canvas/Steelcut/Reched/Glow
Divina3/DivinaMelange/Fiord/Harald
Full Grain Leather
COM fabric 0,60mt
COM leather 0,70mq

AL
Nude aluminum

LR
Stained oak

Flash/Byte
Eco Leather
Patina
Revive/Disco Coex
Field/Cava
Umami/Canvas/Steelcut/Reched/Glow
Divina3/DivinaMelange/Fiord/Harald
Full Grain Leather
COM fabric 0,60mt
COM leather 0,70mq

2 PC
13,9 Kg / A= 52,5 cm / B= 60cm / h= 87,5cm





FRAME
AL60
Nude aluminium

BACKREST
LR08
Black painted oak

TONDINA POP

DESIGN:

FAVARETTO&PARTNERS

A NEW FRAME FINISH IS ADDED TO THE ICONIC TONDINA: ANTIQUE BRASS MATCHES PERFECTLY WITH REFINED UPHOLSTERY BUT CREATES ALSO A MODERN CONTRAST IN THE POP VERSION WITH POLYPROPYLENE SEAT AND BACKREST. DECLINED IN CHAIR AND STOOL VERSION, TONDINA IS PERFECT FOR RESTAURANTS, BARS AND CAFETERIAS.

NEW FINISHES





FRAME
AC14
Antique brass

UPHOLSTERY
PT24
Patina



FRAME

AC14
Antique brass

UPHOLSTERY

PT22
Patina Camira

FRAME

STEEL



AC14
Antique brass

SEAT AND BACKREST

POLYPROPYLENE



PP34
Peach



PP31
Coal black



PP7608U
Marsala



PP557C
Light teal



PP421C
Almond grey



PP480C
Cipria



PP20
White

UPHOLSTERY AVAILABLE

FULL-GRAIN LEATHER

ECO LEATHER
76% PVC, 2% PU, 22% PES

REVIVE 1 Kvadrat
100% PE FR ric.

FIELD Kvadrat
100% TREVIRA

CANVAS Kvadrat
90% WO, 10% PA

DIVINA 3 Kvadrat
100% WO

DIVINA MELANGE 2 Kvadrat
100% WO

STEELCUT 3 Kvadrat
90% WO, 10% PA

UMAMI Kvadrat
90% WO, 10% PA

CAVA 3 Kvadrat
90% WO, 10% PA

HARALD Kvadrat
100% WO

RECHECK Kvadrat
90% WO, 10% NY

FIORD Kvadrat
92% WO, 8% NY

GLOW Kvadrat
90% WO, 10% NY

PATINA Camira
69% WO, 22% FL, 8% PQ, 1% VI

MIAMI Pintail
88% PL, 12% PE


FLASH No-Shrink
100% PP

BYTE
100% PL

TONDINA POP
4 LEGS

Frame

Seat and backrest



AC
Antique brass



PP
Polypropylene

2 PCS
12,2 Kg / A= 47,5cm / B= 63cm / h= 85,5cm

TONDINA POP
4 LEGS WITH ARMS

Frame

Seat and backrest




AC
Antique brass

PP
Polypropylene

2 PCS
14,2 Kg / A= 57,5cm / B= 63cm / h= 87cm

TONDINA POP
KITCHEN STOOL

Frame Seat and backrest



AC
Antique brass

PP
Polypropylene

1 PC
7,8 Kg / A= 57cm / B= 46cm / h= 98cm

TONDINA POP
4 LEGS WITH ARMS UPHOLSTERED

Frame Upholstery




AC
Antique brass

Flash/Byte
Eco Leather
Patina
Revive
Field/Cava
Umami/Canvas/Steelcut/Recheck/Glow
Divina3/DivinaMelange/Fjord/Harald
Full Grain Leather
COM fabric 0.90mt
COM leather 1.20mq

2 PCS
14,2 Kg / A= 57,5cm / B= 63cm / h= 87cm

TONDINA POP
BAR STOOL

Frame Seat and backrest



AC
Antique brass

PP
Polypropylene

1 PC
8,2 Kg / A= 57cm / B= 46cm / h= 109cm

TONDINA POP
KITCHEN STOOL UPHOLSTERED

Frame Upholstery



AC
Antique brass

Flash/Byte
Eco Leather
Patina
Revive
Field/Cava
Umami/Canvas/Steelcut/Recheck/Glow
Divina3/DivinaMelange/Fjord/Harald
Full Grain Leather
COM fabric 0.90mt
COM leather 1.20mq

1 PC
7,8 Kg / A= 57cm / B= 46cm / h= 98cm

TONDINA POP
4 LEGS UPHOLSTERED

Frame Upholstery



AC
Antique brass

Flash/Byte
Eco Leather
Patina
Revive
Field/Cava
Umami/Canvas/Steelcut/Recheck/Glow
Divina3/DivinaMelange/Fjord/Harald
Full Grain Leather
COM fabric 0.90mt
COM leather 1.20mq

2 PCS
12,2 Kg / A= 47,5cm / B= 63cm / h= 85,5cm

TONDINA POP
BAR STOOL UPHOLSTERED

Frame Upholstery



AC
Antique brass

Flash/Byte
Eco Leather
Patina
Revive
Field/Cava
Umami/Canvas/Steelcut/Recheck/Glow
Divina3/DivinaMelange/Fjord/Harald
Full Grain Leather
COM fabric 0.90mt
COM leather 1.20mq

1 PC
8,2 Kg / A= 57cm / B= 46cm / h= 109cm



TONDINA POP WITH ARMS
 FRAME
 AC14
 Antique brass

SEAT AND BACKREST
 HA182
 Harald Kvadrat

TONDINA POP 4 LEGS
 FRAME
 AC14
 Antique brass

SEAT AND BACKREST
 GL873
 Glow Kvadrat

COOKIE

DESIGN:

STUDIO ZETASS

THIS COMFORTABLE AND SINUOUS ARMCHAIR WELCOMES TO THE RANGE THE FOUR LEG BASE IN CHROMED AND PAINTED STEEL.

NEW FINISHES



ÚTI

DESIGN:

mC.dsg

ÚTI WIDENS THE RANGE WITH THE ADDITION OF THE POLYPROPYLENE BACK, SUITABLE FOR INDUSTRIAL STYLE ENVIRONMENTS OR FOR OUTDOOR AND VERANDA SETTINGS.

NEW FINISHES





FRAME

AC40

Lead grey

fine textured

BACKREST

PP421C

Almond

FRAME

STEEL



AC46

Honey yellow

fine textured



AC47

Dove grey

fine textured



AC48

Grey beige

fine textured



AC40

Lead grey

fine textured



AC41

Light grey

fine textured



AC44

White

fine textured



AC45

Oxide red

fine textured

BACKREST

POLYPROPYLENE



PP421C

Almond



PP11

Anthracite



PP20

White



PP7608U

Marsala



PP1012

Mustard



PP22

Tobacco



PP514

Sand

FELT SEAT PANEL

☀️ **OPTIONAL ON REQUEST** - Available with Miami Pintail

ÚTI



PLASTIC BACK



Frame



Backrest



☀️ AC
Steel

PP
Polypropylene



2 PCS
11,8 Kg / A= 55 cm / B= 56 cm / h= 84 cm



4

ÚTI



PLASTIC BACK WITH ARMS



Frame



Backrest



☀️ AC
Steel

PP
Polypropylene



2 PCS
14 Kg / A= 55 cm / B= 56 cm / h= 84 cm



4



FRAME

AC41
Light grey
fine textured

AC46
Honey yellow
fine textured

BACKREST

PP421
Almond

PP1012
Mustard

KRAM

DESIGN:

THOMAS PEDERSEN

THE ELEGANT NORDIC SEAT, WITH ITS WITH ITS SHAPE REMINDING OF AN OPEN SHELL, IS PRESENTED IN A COMFORTABLE AND ELEGANT VERSION, WITH BEAUTIFULLY UPHOLSTERED SEAT AND BACKREST.

NEW FINISHES





SEAT AND BACKREST


LR08
Black stained oak

UPHOLSTERY

HA182
Harald Kvadrat

FRAME					
STEEL					
	AC01 Chrome plated	AC30 White matt painted	AC31 Black matt painted	AC12 Black chrome plated	AC13 Copper plated
SEAT AND BACKREST					
PLYWOOD OAK					
			LV06 Stratus Superior American Walnut	LR03 Natural oak	LR08 Black stained oak

UPHOLSTERY AVAILABLE			
HARALD Kvadrat 100% WO	GLOW Kvadrat 90% WO, 10% NY	STEELCUT 3 Kvadrat 90% WO, 10% PA	FULL-GRAIN LEATHER

KRAM			
STEEL FRAME	 Frame	 Seat and backrest	 Upholstery
	AC Matt painted steel	LR Natural oak	Steelcut/Glow Field/Harald Full Grain Leather COM fabric 170mt COM leather 2,00mq
		LR Black stained oak	Steelcut/Glow Field/Harald Full Grain Leather COM fabric 170mt COM leather 2,00mq
		LV Stratus Superior American Walnut	Steelcut/Glow Field/Harald Full Grain Leather COM fabric 170mt COM leather 2,00mq
	AC Chromium-plated steel	LR Natural oak	Steelcut/Glow Field/Harald Full Grain Leather COM fabric 170mt COM leather 2,00mq
		LR Black stained oak	Steelcut/Glow Field/Harald Full Grain Leather COM fabric 170mt COM leather 2,00mq
		LV Stratus Superior American Walnut	Steelcut/Glow Field/Harald Full Grain Leather COM fabric 170mt COM leather 2,00mq
	AC Coloured chromium-plated steel	LR Natural oak	Steelcut/Glow Field/Harald Full Grain Leather COM fabric 170mt COM leather 2,00mq
		LR Black stained oak	Steelcut/Glow Field/Harald Full Grain Leather COM fabric 170mt COM leather 2,00mq
		LV Stratus Superior American Walnut	Steelcut/Glow Field/Harald Full Grain Leather COM fabric 170mt COM leather 2,00mq

 1 PC

11,4 Kg / A= 81 cm / B= 81 cm /h= 89,5 cm





KRAM
SEAT AND BACKREST
LR08
Black stained oak

UPHOLSTERY
HA182
Harald Kvadrat

DIAPASON TABLE
BASE
AC31
Black

TABLE TOP
LM02
Black

PEB

DESIGN:

BROGLIATOTRAVERSO

PEB IS ENRICHED BY THE 4-LEG WOODEN BASE, WHICH MAKES IT THE IDEAL ARMCHAIR FOR WAITING ROOMS AND LOUNGES. AVAILABLE BOTH IN LOW AND HIGH BACK VERSIONS

NEW FINISHES



FRAME

MAFR01
Natural ash

UPHOLSTERY

SIT
BACKREST

F0271
F0101
Fiord Kvadrat

FRAME

SOLID ASH



MAFR01
Natural ash

LFR08
Black stained ash

ALUMINIUM



AL07
Polished

AL30
White matt painted

AL31
Black matt painted

STEEL



AC01
Chrome plated

AC30
White matt painted

AC31
Black matt painted

UPHOLSTERY AVAILABLE

FULL-GRAIN LEATHER

REVIVE 1 Kvadrat
100% PE FR ric.

UMAMI Kvadrat
90% WO, 10% PA

PATINA Camira
69% WO, 22% FL, 8% PQ, 1% VI

ECO LEATHER

76% PVC, 2% PU, 22% PES

FIELD Kvadrat
100% TREVIRA

CAVA 3 Kvadrat
90% WO, 10% PA

CANVAS Kvadrat
90% WO, 10% PA

HARALD Kvadrat
100% WO

DIVINA 3 Kvadrat
100% WO

RECHECK Kvadrat
90% WO, 10% NY

FLASH No-Shrink
100% PP

DIVINA MELANGE 2 Kvadrat
100% WO

FIORD Kvadrat
92% WO, 8% NY

STEELCUT 3 Kvadrat
90% WO, 10% PA

GLOW Kvadrat
90% WO, 10% NY

BYTE
100% PL


PEB
WOODEN LEGS LOW BACK



Frame



Upholstery



MAFR
Solid ash

Flash/Byte
Eco Leather
Patina
Revive
Field
Umami/Canvas/Steelcut/Recheck/Glow
Divina3/DivinaMelange/Fiord/Harald
Full Grain Leather
COM fabric seat 1,70mt - back 0,65mt
COM leather seat 2,30mq - back 1,2mq

MAFR
Black stained ash


Flash/Byte
Eco Leather
Patina
Revive
Field
Umami/Canvas/Steelcut/Recheck/Glow
Divina3/DivinaMelange/Fiord/Harald
Full Grain Leather
COM fabric seat 1,70mt - back 0,65mt
COM leather seat 2,30mq - back 1,2mq



1 PC
20,5 Kg / A= 74cm / B= 71cm / h= 74,5cm



PEB
WOODEN LEGS HIGH BACK



MAFR
Solid ash


Flash/Byte
Eco Leather
Patina
Revive
Field
Umami/Canvas/Steelcut/Redhecky/Glow
Divina3/DivinaMelange/Fiord/Harald
Full Grain Leather
COM fabric seat 1,70mt - back 0,8mt
COM leather seat 2,30mq - back 1,55mq

MAFR
Black stained ash

Flash/Byte
Eco Leather
Patina
Revive
Field
Umami/Canvas/Steelcut/Redhecky/Glow
Divina3/DivinaMelange/Fiord/Harald
Full Grain Leather
COM fabric seat 1,70mt - back 0,8mt
COM leather seat 2,30mq - back 1,55mq

1 PC
24 Kg / A= 82cm / B= 83cm / h= 113cm

PEB
SLED LOW BACK



AC
Matt painted steel


Flash/Byte
Eco Leather
Patina
Revive
Field
Umami/Canvas/Steelcut/Redhecky/Glow
Divina3/DivinaMelange/Fiord/Harald
Full Grain Leather
COM fabric seat 1,70mt - back 0,65mt
COM leather seat 2,30mq - back 1,2mq

AC
Chromium-plated steel

Flash/Byte
Eco Leather
Patina
Revive
Field
Umami/Canvas/Steelcut/Redhecky/Glow
Divina3/DivinaMelange/Fiord/Harald
Full Grain Leather
COM fabric seat 1,70mt - back 0,65mt
COM leather seat 2,30mq - back 1,2mq

1 PC
19,2 Kg / A= 74cm / B= 71cm / h= 74,5cm

PEB
SLED HIGH BACK



AC
Matt painted steel


Flash/Byte
Eco Leather
Patina
Revive
Field
Umami/Canvas/Steelcut/Redhecky/Glow
Divina3/DivinaMelange/Fiord/Harald
Full Grain Leather
COM fabric seat 1,70mt - back 0,8mt
COM leather seat 2,30mq - back 1,55mq

AC
Chromium-plated steel

Flash/Byte
Eco Leather
Patina
Revive
Field
Umami/Canvas/Steelcut/Redhecky/Glow
Divina3/DivinaMelange/Fiord/Harald
Full Grain Leather
COM fabric seat 1,70mt - back 0,8mt
COM leather seat 2,30mq - back 1,55mq

1 PC
20,3 Kg / A= 82cm / B= 83cm / h= 113cm

PEB
4 STAR LOW BACK



AL
Polished aluminium


Flash/Byte
Eco Leather
Patina
Revive
Field
Umami/Canvas/Steelcut/Redhecky/Glow
Divina3/DivinaMelange/Fiord/Harald
Full Grain Leather
COM fabric seat 1,70mt - back 0,65mt
COM leather seat 2,30mq - back 1,2mq

AL
Matt painted aluminium

Flash/Byte
Eco Leather
Patina
Revive
Field
Umami/Canvas/Steelcut/Redhecky/Glow
Divina3/DivinaMelange/Fiord/Harald
Full Grain Leather
COM fabric seat 1,70mt - back 0,65mt
COM leather seat 2,30mq - back 1,2mq

1 PC
22,2 Kg / A= 74cm / B= 71cm / h= 74,5cm

PEB
4 STAR HIGH BACK



AL
Polished aluminium

Flash/Byte
Eco Leather
Patina
Revive
Field
Umami/Canvas/Steelcut/Redhecky/Glow
Divina3/DivinaMelange/Fiord/Harald
Full Grain Leather
COM fabric seat 1,70mt - back 0,8mt
COM leather seat 2,30mq - back 1,55mq

AL
Matt painted aluminium

Flash/Byte
Eco Leather
Patina
Revive
Field
Umami/Canvas/Steelcut/Redhecky/Glow
Divina3/DivinaMelange/Fiord/Harald
Full Grain Leather
COM fabric seat 1,70mt - back 0,8mt
COM leather seat 2,30mq - back 1,55mq

1 PC
23,3 Kg / A= 82cm / B= 83cm / h= 113cm





PEB LOW BACK

FRAME

AC30
White matt painted

UPHOLSTERY

BACKREST CV424 Canvas Kvadrat
SEAT RV524 Revive

PEB HIGH BACK

FRAME

AC30
White matt painted

UPHOLSTERY

BACKREST CV446 Canvas Kvadrat
SEAT RV664 Revive

KLEJN LOW

DESIGN:

THOMAS PEDERSEN

THE SIMPLEST BUT MOST REFINED OF THE STOOLS IS REINVENTED IN THE 45 CM HEIGHT VERSION, PERFECT FOR ALL CONTEXTS IN WHICH IT IS NECESSARY TO HAVE AN EXTRA SEAT AVAILABLE WITHOUT TAKING UP TOO MUCH SPACE. THE WIDE CHOICE OF FINISHES FOR THE BASES AND THE ENDLESS UPHOLSTERY OPTIONS MAKES KLEJN PERFECT FOR BOTH INTERIOR AND EXTERIOR SETTINGS.

RANGE EXTENSION



h 450mm

FRAME
AC31
Black matt painted

SEAT PANEL
MAFR09
Graphite black stained

FRAME

STEEL



AC30
White matt painted

AC31
Black matt painted

AC12
Black chrome plated

AC13
Copper plated

SEAT PANEL

POLYPROPYLENE



PP20
White

PP11
Anthracite

PP503
Powder blue

PP480C
Cipria



PP31
Black coal

PP7608U
Marsala

PP27
Curry

SOLID ASH



MAFR01
Natural ash

MAFR09
Graphite black stained

MAFR10
Basalt grey stained

UPHOLSTERY AVAILABLE

FULL-GRAIN LEATHER

ECO LEATHER
76% PVC, 2% PU, 22% PES

REVIVE 1 Kvadrat 100% PE FR ric.	FIELD Kvadrat 100% TREVIRA	HARALD Kvadrat 100% WO	FLASH No-Shrink 100% PP	STEELCUT 3 Kvadrat 90% WO, 10% PA	UMAMI Kvadrat 90% WO, 10% PA
CAVA 3 Kvadrat 90% WO, 10% PA	DIVINA 3 Kvadrat 100% WO	DIVINA MELANGE 2 Kvadrat 100% WO	GLOW Kvadrat 90% WO, 10% NY	PATINA Camira 69% WQ, 22% FL, 8% PQ, 1% VI	CANVAS Kvadrat 90% WO, 10% PA
RECHECK Kvadrat 90% WO, 10% NY	FIORD Kvadrat 92% WO, 8% NY	BYTE 100% PL	DISCO COEX by Chiocciarello 70% CO, 20% AC, 5% VI, 5% LI		


KLEJN LOW
4 STAR HIGH BACK

KLEJN LOW
POLYPROPYLENE PANEL



Frame

Seat panel



AC
Matt painted steel

PP
Polypropylene

AC
Coloured
chromium-plated steel

PP
Polypropylene

AC
Zinc/painted steel

PP
Polypropylene

1 PC
4,8Kg / A= 30cm / B= 36cm / h= 50cm





FRAME
 AC31
 Black matt painted

SEAT PANEL
 MAFR01
 Natural ash

UPHOLSTERY
 PN
 Black leather

h 640mm



FRAME
AC31
Black matt painted

SEAT PANEL
MAFR09
Graphite black stained

UPHOLSTERY
CV134
Canvas Kvadrat


FRAME				
STEEL				
	AC30 White matt painted	AC31 Black matt painted	AC12 Black chrome plated	AC13 Copper plated
SEAT PANEL				
POLYPROPYLENE				
	PP20 White	PP11 Anthracite	PP503 Powder blue	PP480C Cipria
			PP7608U Marsala	PP27 Curry
SOLID ASH				
		MAFR01 Natural	MAFR09 Graphite black stained	MAFR10 Basalt grey stained

UPHOLSTERY AVAILABLE					
FULL-GRAIN LEATHER	ECO LEATHER 76% PVC, 2% PU, 22% PES				
REVIVE 1 Kvadrat 100% PE FR ric.	FIELD Kvadrat 100% TREVIRA	HARALD Kvadrat 100% WO	FLASH No-Shrink 100% PP	STEELCUT 3 Kvadrat 90% WO, 10% PA	UMAMI Kvadrat 90% WO, 10% PA
CAVA 3 Kvadrat 90% WO, 10% PA	DIVINA 3 Kvadrat 100% WO	DIVINA MELANGE 2 Kvadrat 100% WO	GLOW Kvadrat 90% WO, 10% NY	PATINA Camira 69%WQ,22%FL,8%PQ,1%VI	CANVAS Kvadrat 90% WO, 10% PA
RECHECK Kvadrat 90% WO, 10% NY	FIORD Kvadrat 92% WO, 8% NY	BYTE 100% PL	DISCO COEX by Chiocciarello 70% CO, 20% AC, 5% VI, 5% LI		

KLEJN KITCHEN STOOL UPHOLSTERED PANEL		Frame	Seat panel	Upholstery
	AC Matt painted steel	PP Polypropylene	Flash/Byte Eco Leather Patina Revive/Disco Coex Field Umami/Canvas/Steelcut/Recheck/Glow Divina3/DivinaMelange/Fiord/Harald Full Grain Leather COM fabric 0,70mt COM leather 1,00mq	
	AC Coloured chromium-plated steel	PP Polypropylene	Flash/Byte Eco Leather Patina Revive/Disco Coex Field Umami/Canvas/Steelcut/Recheck/Glow Divina3/DivinaMelange/Fiord/Harald Full Grain Leather COM fabric 0,70mt COM leather 1,00mq	

1 PC
5,5Kg / A= 37cm / B= 34cm / h= 67,5cm



KLEJN BAR STOOL UPHOLSTERED PANEL			
	Frame	Seat panel	Upholstery
 	AC Matt painted steel	PP Polypropylene	Flash/Byte Eco Leather Patina Revive/Disco Coex Field Umami/Canvas/Steelcut/Reched/Glow Divina3/DivinaMélange/Fiord/Harald Full Grain Leather COM fabric 0,50mt COM leather 0,20mq
	AC Coloured chromium-plated steel	PP Polypropylene	Flash/Byte Eco Leather Patina Revive/Disco Coex Field Umami/Canvas/Steelcut/Reched/Glow Divina3/DivinaMélange/Fiord/Harald Full Grain Leather COM fabric 0,50mt COM leather 0,20mq
 1 PC 6 Kg / A= 37cm / B= 34cm / h= 76,5cm			
			

KLEJN KITCHEN STOOL WOOD UPHOLSTERED PANEL			
	Frame	Seat panel	Upholstery
	AC Matt painted steel	MAFR Natural ash/whitened	Flash/Byte Eco Leather Patina Revive/Disco Coex Field Umami/Canvas/Steelcut/Reched/Glow Divina3/DivinaMélange/Fiord/Harald Full Grain Leather COM fabric 0,50mt COM leather 0,20mq
	AC Coloured chromium-plated steel	MAFR Stained ash	Flash/Byte Eco Leather Patina Revive/Disco Coex Field Umami/Canvas/Steelcut/Reched/Glow Divina3/DivinaMélange/Fiord/Harald Full Grain Leather COM fabric 0,50mt COM leather 0,20mq
	AC Matt painted steel	MAFR Natural ash/whitened	Flash/Byte Eco Leather Patina Revive/Disco Coex Field Umami/Canvas/Steelcut/Reched/Glow Divina3/DivinaMélange/Fiord/Harald Full Grain Leather COM fabric 0,50mt COM leather 0,20mq
	AC Coloured chromium-plated steel	MAFR Stained ash	Flash/Byte Eco Leather Patina Revive/Disco Coex Field Umami/Canvas/Steelcut/Reched/Glow Divina3/DivinaMélange/Fiord/Harald Full Grain Leather COM fabric 0,50mt COM leather 0,20mq
 1 PC 5,5Kg / A= 37cm / B= 34cm / h= 67,5cm			

KLEJN BAR STOOL WOOD UPHOLSTERED PANEL			
	Frame	Seat panel	Upholstery
	AC Matt painted steel	MAFR Natural ash/whitened	Flash/Byte Eco Leather Patina Revive/Disco Coex Field Umami/Canvas/Steelcut/Reched/Glow Divina3/DivinaMélange/Fiord/Harald Full Grain Leather COM fabric 0,50mt COM leather 0,20mq
	AC Coloured chromium-plated steel	MAFR Stained ash	Flash/Byte Eco Leather Patina Revive/Disco Coex Field Umami/Canvas/Steelcut/Reched/Glow Divina3/DivinaMélange/Fiord/Harald Full Grain Leather COM fabric 0,50mt COM leather 0,20mq
	AC Matt painted steel	MAFR Natural ash/whitened	Flash/Byte Eco Leather Patina Revive/Disco Coex Field Umami/Canvas/Steelcut/Reched/Glow Divina3/DivinaMélange/Fiord/Harald Full Grain Leather COM fabric 0,50mt COM leather 0,20mq
	AC Coloured chromium-plated steel	MAFR Stained ash	Flash/Byte Eco Leather Patina Revive/Disco Coex Field Umami/Canvas/Steelcut/Reched/Glow Divina3/DivinaMélange/Fiord/Harald Full Grain Leather COM fabric 0,50mt COM leather 0,20mq
 1 PC 6Kg / A= 34cm / B= 36cm / h= 66cm			



FRAME

AC31
Black matt painted

SEAT PANEL

MAFR09
Graphite black stained

UPHOLSTERY

CV134
Canvas Kvadrat

FLINK LOW

DESIGN:

THOMAS PEDERSEN

SWIVEL STOOL WITH STEEL STRUCTURE AND UPHOLSTERED SEAT PANEL, NOW AVAILABLE IN A BRAND NEW HEIGHT OF 45CM. THANKS TO THE DIFFERENT UPHOLSTERY FABRIC OPTIONS, FLINK IS THE RIGHT SOLUTION TO FURNISH BOTH COMMERCIAL AND BUSINESS ENVIRONMENTS.

RANGE EXTENSION





FRAME

AC41
Light grey
fine textured

UPHOLSTERY

GL873
Glow Kvadrat

FRAME

STEEL



AC41

Light grey fine
textured



AC40

Lead grey fine
textured



AC44

White fine textured



AC47

Dove grey fine
textured

UPHOLSTERY AVAILABLE

FULL-GRAIN LEATHER

ECO LEATHER
76% PVC, 2% PU, 22% PES

REVIVE 1 Kvadrat
100% PE FR ric.

FIELD Kvadrat
100% TREVIRA

HARALD Kvadrat
100% WO

FLASH No-Shrink
100% PP

STEELCUT 3 Kvadrat
90% WO, 10% PA

UMAMI Kvadrat
90% WO, 10% PA

CAVA 3 Kvadrat
90% WO, 10% PA

DIVINA 3 Kvadrat
100% WO

DIVINA MELANGE 2 Kvadrat
100% WO

GLOW Kvadrat
90% WO, 10% NY

PATINA Camira
69% WQ, 22% FL, 8% PQ, 1% VI

CANVAS Kvadrat
90% WO, 10% PA

RECHECK Kvadrat
90% WO, 10% NY

FIORD Kvadrat
92% WO, 8% NY

BYTE
100% PL

DISCO COEX by Chioccarello
70% CO, 20% AC, 5% VI, 5% LI


FLINK LOW
UPHOLSTERED



Frame



Upholstery



AC
Painted steel

Flash/Byte
Eco Leather
Patina
Revive/Disco Coex
Field
Umami/Canvas/Steelcut/Recheck/Glow
Divina3/DivinaMelange/Fiord/Harald
Full Grain Leather
COM fabric 0,70mt
COM leather 1,00mq



1 PC
8,3 Kg / A= 41,5cm / B= 43cm / h= 48cm





FRAME	UPHOLSTERY		
AC40	GL443	GL723	GL873
Lead grey	Glow Kvadrat	Glow Kvadrat	Glow Kvadrat
fine textured			

RECORD BENCH

DESIGN:

mC.dsg

RECORD BENCH, CLEAN AND ESSENTIAL, IS NOW ALSO AVAILABLE WITH NATURAL OR BLACK WOODEN LEGS; THE RANGE OF SEAT PANELS EXPANDS WITH A NEW OVAL PANEL, A POST-CONSUMER PLASTIC FINISH AND A SOFT UPHOLSTERY FOR WOODEN BASES.

NEW FINISHES





BENCH TOP
RFS01
Recycled Fibreglass

LEGS				
STEEL	AC20 White embossed painted	AC03 Black embossed painted	HERITAGE OAK	RH03 Natural RH08 Black
SEAT PANEL				
RFS			RFS01	Edge 30mm
Recycled Fibreglass				
FENIX NTM®	FX01 White	FX02 Black	FX03 Anthracite	Edge 30mm
MATT WOOD		MW01 White	MW02 Black	Edge 25mm
HERITAGE OAK		RH03 Natural oak	RH08 Black	Edge 30mm

UPHOLSTERY AVAILABLE					
FULL-GRAIN LEATHER		ECO LEATHER 76% PVC, 2% PU, 22% PES			
REVIVE 1 Kvadrat 100% PE FR ric.	FIELD Kvadrat 100% TREVIRA	HARALD Kvadrat 100% WO	FLASH No-Shrink 100% PP	STEELCUT 3 Kvadrat 90% WO, 10% PA	UMAMI Kvadrat 90% WO, 10% PA
CAVA 3 Kvadrat 90% WO, 10% PA	DIVINA 3 Kvadrat 100% WO	DIVINA MELANGE 2 Kvadrat 100% WO	GLOW Kvadrat 90% WO, 10% NY	PATINA Camira 69%WQ,22%FL,8%PQ,1%VI	CANVAS Kvadrat 90% WO, 10% PA
RECHECK Kvadrat 90% WO, 10% NY	FIORD Kvadrat 92% WO, 8% NY	BYTE 100% PL	DISCO COEX by Chiocciarello 70% CO, 20% AC, 5% VI, 5% LI		

RECORD BENCH	Dimensions	Legs	Seat
	H. Height 450mm AxB. Top 380x1800mm	AC Steel	RFS Recycled Fibreglass
			FX FENIX®
			MW Matt Wood
			RH Heritage Oak
			FX FENIX®
			MW Matt Wood
	H. Height 450mm AxB. Top 380x2200mm	RH Heritage Oak	RH Heritage Oak
			RFS Recycled Fibreglass
			FX FENIX®
			MW Matt Wood
			RH Heritage Oak
			FX FENIX®

1 PC
22,6 Kg / A= 182cm / B= 42cm / h= 48cm

RECORD BENCH UPHOLSTERED PANEL		Dimensions	 Legs	 Seat	 Upholstery
				MW Matt Wood	Flash/Byte Eco Leather Patina Revive/Disco Coex Field Umami/Canvas/Steelcut/Reched/Glow Divina3/DivinaMelange/Fiord/Harald Full Grain Leather COM fabric 0,70mt COM leather 1,00mq
				AC Matt painted steel	
				RH Heritage Oak	Flash/Byte Eco Leather Patina Revive/Disco Coex Field Umami/Canvas/Steelcut/Reched/Glow Divina3/DivinaMelange/Fiord/Harald Full Grain Leather COM fabric 0,70mt COM leather 1,00mq
	H. Height 450mm AxB. Top 380x1800mm			MW Matt Wood	Flash/Byte Eco Leather Patina Revive/Disco Coex Field Umami/Canvas/Steelcut/Reched/Glow Divina3/DivinaMelange/Fiord/Harald Full Grain Leather COM fabric 0,70mt COM leather 1,00mq
				RH Heritage Oak	
				RH Heritage Oak	Flash/Byte Eco Leather Patina Revive/Disco Coex Field Umami/Canvas/Steelcut/Reched/Glow Divina3/DivinaMelange/Fiord/Harald Full Grain Leather COM fabric 0,70mt COM leather 1,00mq
	STEEL FRAME	MATT WOOD TOP	23 Kg / A= 182cm / B= 42cm / h= 48cm		
		OAK TOP	21 Kg / A= 182cm / B= 42cm / h= 48cm		
	WOODEN FRAME	MATT WOOD TOP	20 Kg / A= 182cm / B= 42cm / h= 48cm		
		OAK TOP	18 Kg / A= 182cm / B= 42cm / h= 48cm		

RECORD BENCH UPHOLSTERED PANEL		Dimensions	 Legs	 Seat	 Upholstery
				MW Matt Wood	Flash/Byte Eco Leather Patina Revive/Disco Coex Field Umami/Canvas/Steelcut/Reched/Glow Divina3/DivinaMelange/Fiord/Harald Full Grain Leather COM fabric 0,70mt COM leather 1,00mq
				AC Matt painted steel	
				RH Heritage Oak	Flash/Byte Eco Leather Patina Revive/Disco Coex Field Umami/Canvas/Steelcut/Reched/Glow Divina3/DivinaMelange/Fiord/Harald Full Grain Leather COM fabric 0,70mt COM leather 1,00mq
	H. Height 450mm AxB. Top 380x2200mm			MW Matt Wood	Flash/Byte Eco Leather Patina Revive/Disco Coex Field Umami/Canvas/Steelcut/Reched/Glow Divina3/DivinaMelange/Fiord/Harald Full Grain Leather COM fabric 0,70mt COM leather 1,00mq
				RH Heritage Oak	
				RH Heritage Oak	Flash/Byte Eco Leather Patina Revive/Disco Coex Field Umami/Canvas/Steelcut/Reched/Glow Divina3/DivinaMelange/Fiord/Harald Full Grain Leather COM fabric 0,70mt COM leather 1,00mq
	STEEL FRAME	MATT WOOD TOP	27 Kg / A= 182cm / B= 42cm / h= 48cm		
		OAK TOP	25 Kg / A= 182cm / B= 42cm / h= 48cm		
	WOODEN FRAME	MATT WOOD TOP	24 Kg / A= 182cm / B= 42cm / h= 48cm		
		OAK TOP	22Kg / A= 182cm / B= 42cm / h= 48cm		



RECORD BENCH

LEGS	SEAT	UPHOLSTERED PANEL
RH03	RH03	PT14
Natural oak	Natural oak	Patina

RECORD LIVING TABLE OVAL

LEGS	TABLE TOP	FRAME FINISHES
RH03	RH03	ACO3
Natural oak	Natural oak	Embossed black painted

RECORD LIVING

DESIGN:

mC.dsg

RECORD LIVING IS THE INNOVATIVE DESIGN TABLE THAT COMBINES STYLE AND VERSATILITY THROUGH THE INTERSECTION OF SIMPLE ESSENTIAL LINES. THE PRACTICAL INTERLOCKING LEG, WITH POINTED ENDS, GIVES THIS TABLE A SUGGESTIVE AND ELEGANT TOUCH. NOW THE TABLE TOP IS NOW AVAILABLE WITH A NEW OVAL SIZE. THE RECORD LIVING FAMILY ENRICHES ITS RANGE WITH A NEW VERSION: A STEEL STRUCTURE AND A POST-CONSUMER PLASTIC TOP THAT MAKE THE TABLE IDEAL FOR OUTDOOR USE.

NEW FINISHES





LEGS AND FRAME
AC03
Embossed black
painted

TABLE TOP
RFS01
Recycled Fibreglass

LEGS

STEEL



AC20
Embossed white
painted

AC03
Embossed black
painted

FRAME FINISHES

STEEL



AC03
Embossed black
painted

AC20
White embossed
painted

TABLE TOP

RFS



Recycled Fibreglass

RFS01

Edge
30mm

FENIX NTM®



FX01
White

FX02
Black

FX03
Anthracite

Edge
30mm

MATT WOOD



MW01
White

MW02
Black

Edge
25mm

HERITAGE OAK




RH03
Natural oak

RH08
Black

Edge
30mm

RECORD LIVING OUTDOOR - OVAL



H.
Height
740mm

AxB.
Top
1000x1900mm
1000x2200mm

1000X1900

WHEIGHT  A x B x h


KIT OF STEEL LEGS	10kg	76X23X10
CROSS BAR	14kg	168X81X14
TABLETOP - PCR	41kg	193,5X103X6

1000X2200

WHEIGHT  A x B x h

KIT OF STEEL LEGS	12kg	76X23X10
CROSS BAR	15kg	181X81X10
TABLETOP - PCR	45kg	223,5X103X6


RECORD LIVING - OVAL



H.
Height
740mm

AxB.
Top
1000x1900mm
1000x2200mm

RECORD LIVING - 4LEGS SQUARE



H.
Height
740mm

AxB.
Top
1000x1000mm
1400x1400mm

1000X1900

	WHEIGHT	 A x B x h
KIT OF WOODEN LEGS	6kg	76X23X10
KIT OF STEEL LEGS	12kg	76X23X10
CROSS BAR	14kg	168X81X14
TABLETOP - FENIX	26kg	193,5X103X6
TABLETOP - MATT WOOD	26kg	193,5X103X6
TABLETOP - OAK	26kg	193,5X103X6

1000X2200

	WHEIGHT	 A x B x h
KIT OF STEEL LEGS	12kg	76X23X10
CROSS BAR	15kg	181X81X10
TABLETOP - FENIX	30kg	223,5X103X6
TABLETOP - MATT WOOD	30kg	223,5X103X6
TABLETOP - OAK	30kg	223,5X103X6


1000X1000

	WHEIGHT	 A x B x h
KIT OF STEEL LEGS	12kg	76X23X10
CROSS BAR	12kg	93X91X140
TABLETOP - FENIX	15kg	113,5X113X6
TABLETOP - MATT WOOD	15kg	113,5X113X6
TABLETOP - OAK	15kg	113,5X113X6

1400X1400

	WHEIGHT	 A x B x h
KIT OF STEEL LEGS	12kg	76X23X10
CROSS BAR	12kg	115X100X14
TABLETOP - FENIX	29kg	143,5X143X6
TABLETOP - MATT WOOD	29kg	143,5X143X6
TABLETOP - OAK	29kg	143,5X143X6

RECORD LIVING - 4 LEGS MAXI



H.
Height
740mm

AxB.
Top
900x1600mm
1000x1900mm
1000x2200mm
1000x2600mm

900X1000

	WHEIGHT	 A x B x h
KIT OF STEEL LEGS	12kg	76X23X10
CROSS BAR	12kg	138X71X14
TABLETOP - FENIX	23kg	163,5X93X6
TABLETOP - MATT WOOD	23kg	163,5X93X6
TABLETOP - OAK	23kg	163,5X93X6

1000X1900

	WHEIGHT	 A x B x h
KIT OF STEEL LEGS	12kg	76X23X10
CROSS BAR	14kg	168X81X14
TABLETOP - FENIX	28kg	193,5X103X6
TABLETOP - MATT WOOD	28kg	193,5X103X6
TABLETOP - OAK	28kg	193,5X103X6


1000X2600

	WHEIGHT	 A x B x h
KIT OF STEEL LEGS	12kg	76X23X10
CROSS BAR	15kg	211X81X14
TABLETOP - FENIX	32kg	263,5X103X6
TABLETOP - MATT WOOD	32kg	263,5X103X6
TABLETOP - OAK	32kg	263,5X103X6

1400X1400

	WHEIGHT	 A x B x h
KIT OF STEEL LEGS	12kg	76X23X10
CROSS BAR	15kg	211X81X14
TABLETOP - FENIX	38kg	223,5X103X6
TABLETOP - MATT WOOD	38kg	223,5X103X6
TABLETOP - OAK	38kg	223,5X103X6

RECORD LIVING - 3 LEGS ROUND



H.
Height
740mm

A.
Top
Ø 1100mm
Ø 1400mm

Ø 1100

	WHEIGHT	 A x B x h
KIT OF STEEL LEGS	9kg	76X23X7
CROSS BAR	6kg	91X88X10
TABLETOP - FENIX	17kg	113,5X113X6
TABLETOP - MATT WOOD	17kg	113,5X113X6
TABLETOP - OAK	17kg	113,5X113X6

Ø 1400

	WHEIGHT	 A x B x h
KIT OF STEEL LEGS	9kg	76X23X10
CROSS BAR	7kg	115X110X14
TABLETOP - FENIX	26kg	138,5X38X6
TABLETOP - MATT WOOD	26kg	138,5X38X6
TABLETOP - OAK	26kg	138,5X38X6



LEGS AND FRAME
AC03
Embossed black
painted

TOP
RFS01
Recycled Fibreglass

RECORD MEETING

DESIGN:

mC.dsg

THE ULTIMATE EVOLUTION OF THE RECORD FAMILY, AVAILABLE NOW WITH A NARROWER RECTANGULAR DIMENSION.

NEW FINISHES





LEGS/FRAME
AC03
Embossed black
painted

TABLE TOP
FX02
Black

LEGS/FRAME

STEEL



AC20
Embossed white
painted

AC03
Embossed black
painted

TABLE TOP

LAMINATES



LM01
White

LM02
Black

Edge
30mm

FENIX NTM®



FX01
White

FX02
Black

Edge
10mm

HERITAGE OAK




RH03
Natural

RH08
Black

Edge
30mm

RECORD MEETING



H.
Height
1070mm

B.
Base
1808x677mm

C.
Top
750x1900mm
750x2200mm

750X1900

WHEIGHT A x B x h

KIT OF STEEL LEGS	18kg	177X58,5X14
TABLETOP - LAMINATE/OAK	26kg	195,5X81X8
TABLETOP - FENIX	12kg	195,5X81X8

750X2200

WHEIGHT A x B x h

KIT OF STEEL LEGS	18kg	177X58,5X14
TABLETOP - LAMINATE/OAK	30kg	225,5X81X8
TABLETOP - FENIX	13,8kg	225,5X81X8

**RECORD MEETING**

LEGS/FRAME

AC03

Embossed black painted

TABLE TOP

FX02

White

RECORD LIVING TABLE OVAL

FRAME

AC31

Black matt painted

AC12

Black chrome plated

KLEJN BAR STOOL

FRAME

PP11

Anthracite

SEAT PANEL

MAFR03

Whitened ash

FINISHES

POLYPROPYLENE



PP34
Peach



PP1012
Mustard



PP7608U
Marsala



PP22
Tobacco



PP513
Military green



PP503
Powder blue




PP557C
Light teal




PP480C
Cipria



PP514
Sand



PP20
White



PP21
Pearl grey



PP421C
Almond



PP07
Cement grey




PP11
Anthracite



PP32
Slate grey




PP31
Coal black



PP01*
Black

* Polypropylene has some "shadings" that are more evident in the black color than the others. They are however to be considered in the norm, because they are an intrinsic characteristic of the material.

POST-CONSUMER RECYCLING (PCR)



PCR01
Mokka



PCR02
Caramel

STEEL



AC46
Honey yellow fine textured




AC13
Copper plated



AC45
Oxide red fine textured




AC58
Green fine textured



AC30
White matt painted



AC44
White fine textured



AC20
Embossed white painted



AC46
Light grey fine textured



AC01
Chrome plated



AC41
Grey fine textured




AC32
Grey matt painted



AC47
Dove grey fine textured




AC40
Lead grey fine textured




AC12
Black chrome plated



AC31
Black matt painted steel



AC57
Black fine textured



AC03
Embossed black panted



AC14
Antique brass



AC48
Beige Grey fine textured


RECYCLED FIBREGLOSS (RSF)



RFS01

Fire reactions: Class 2 according to UNI 9177.

ALUMINIUM



AL30
White matt painted



AL31
Black matt painted




AL60
Nude aluminium




AL07
Polished aluminium

FENIX NTM®



FX01
White



FX02
Black




FX03
Anthracite



FX035
Light grey

LAMINATE



LM01
White




LM02
Black



LM08
Cement grey

PLYWOOD



LR03
Natural oak



LR08
Black stained oak



LV06
Stratus Superior American Walnut



LFR01
Natural ash



LFR08
Black stained ash



LFR27
Grey stained ash

SOLID BEECH



MAF26
Green lacquered



MAF25
Grey lacquered



MAF24
Black lacquered

SOLID ASH



MAFR01
Natural



MAFR10
Basalt grey stained




MAFR09
Graphite black stained

HERITAGE OAK



RH03
Heritage natural oak



RH08
Heritage black oak

MATT WOOD



MW01
White



MW02
Black

FULL-GRAIN LEATHER




PR
Red



PC
Cuoio




PB
Ivory




PW
White



PT
Dove grey



PTM
Dark brown



PN
Black

ECO LEATHER

Composition: 76%PVC - 2%PU - 22%PES
Width: 140 cm
Weight: g/m² 540 +/-10
Cycles (ISO 5470-2): 60000
Colour fastness to dry rubbing (ISO 105-X12): 4/5
Colour fastness to wet rubbing (ISO 105-X12): 4/5
Colour fastness to light (Xenotest - blu scale) (ISO 105-B02): 6

Adhesion (ISO 2411): > 40
Tensile strenght (UNI EN ISO 1421): 600 long.
Tensile strenght (UNI EN ISO 1421): 310 trasv.
Elongation at break % (UNI EN ISO 1421): 57 long.
Elongation at break % (UNI EN ISO 1421): 120 trasv.
Tear strenght (UNI EN ISO 4674): 50 long.
Tear strenght (UNI EN ISO 4674): 50 trasv.

Cycles (UNI 4818-13): 100000
Fireproof test: EN 1021-2:2006 / UNI 9175 classe 1 IM / B55852-1:1979 part I - TB 117:2013



FLASH NO-SHRINK

Composition: 100% PP
Total width: 140 cm (UNI EN 1773)
Weight per linear meter: 450 g/LM (± 4%)
Weight per square meter: 320 g/m² (± 4%) (UNI 5114)
("Martindale") Abrasion resistance: Rubs: 70000 End point (ISO 12947- 2)
Pilling resistance: 5 (ISO 12945-2)

Tensile strength: Length 1398,87 - Width 1091,41 (ISO 13934-1)
Maximum elongation: Length 48,23% - 26,33% Width (ISO 13934-1)
Seam slippage (6 mm): Length >200 - Width >200 (ISO 13936-1)
Colour fastness rubbing (dry): staining CO 4/5 (ISO 105-X12)
Colour fastness rubbing (wet): staining CO 4/5 (ISO 105-X12)
Colour fastness artificial light. Colour change: light 5, medium 4, dark 5 (ISO 105 B02)



NO-SHRINK



FL501



FL500



FL301



FL305



FL300



FL310



FL900




FL001



FL005



FL003



FL004



FL002



FL705



FL700



FL707



FL710




FL810



FL804



FL800



FL807



FL111



FL400



FL101



FL100



FL402



FL408



FL600



FL601



FL409



FL403



FL407



FL602



FL405



FL200



SE1007



SE1008



SE1009



SE1019



SE1020



SE1010



SE1022



SE1014




SE1021



SE1013



SE1011



SE1012



SE1023



SE1006



SE1005




SE1018



SE1003



SE1004




SE1002




SE1001



SE1015



SE1024



SE1016



SE1017

FELT

100% Wool



F009



F008



F015



F003



F011

BYTE

Composition 100%PL
Total width: 140 cm (UNI EN 1773)
Weight per linear meter: 460 g/LM (± 4%)
("Martindale") Abrasion resistance. Rubs: 30.000 End point (ISO 12947- 2)
Pilling resistance: 4/5 (ISO 12945-2)
Tensile strength: Length 1000 - Width 1300 (ISO 13934-1)

Seam slippage at less than 6 mm: Length >200 - Width >200 (ISO 13936-1)
Colour fastness rubbing (dry): staining CO 4/5 (ISO 105-X12)
Colour fastness rubbing (wet): staining CO 4/5 (ISO 105-X12)
Colour fastness artificial light: 3/4 (ISO 105 B02)


NO-SHRINK
WATER-REPELLENT

 BY804	 BY307	 BY303	 BY003	 BY707	 BY700
 BY100	 BY400	 BY605	 BY401	 BY600	 BY402
 BY403	 BY405	 BY602			



FIELD KVADRAT

Designer: Alfredo Häberli
Composition: 100% Trevira CS
Height: 140 cm
Selvedge:
Weight: 430 g/mtl
Light resistance: 6-7 (ISO 1-8)
Abrasion: 100.000 Martindale

Colour: there may be slight differences
The environment: reduced environmental impact


Fireproof test
BS 5852 Crib 5
BS 5852 part 1, ig. s. 0
DIN 4102 B1
EN 1021-1/2
FAR 25.853
IMO FTP Code 2010 Part 8

NF D 60 013
NF P 92 507 M1
ÖNORM B1/ Q1
SN 198 898 5.2
UNI 9175 11M
UNI 9177 Classe 1
US Cal. Bull. 117-2013

 FD432	 FD542	 FD642	 FD662	 FD682	 FD782
 FD772	 FD762	 FD752	 FD932	 FD952	 FD942
 FD972	 FD982	 FD382	 FD252	 FD232	 FD222
 FD132	 FD142	 FD242	 FD172	 FD182	 FD192


REVIVE 1 KVADRAT

Designer: Georgina Wright
Composition: 100% Recycl. polyester FR
Height: 140 cm
Selvedge:
Weight: 420 g/lin.m
Light resistance: 5-7 (ISO 1-8)
Abrasion: 80.000 Martindale

Colour: there may be slight defferences
The environment: reduced environmental impact
Fireproof test
BS 5852 part 1, ig. s. 0
DIN 4102 B1
EN 1021-1/2
IMO FTP Code 2010 Part 8

NF D 60 013 with treatment
UNI 9175 11M
US Cal. Bull. 117-2013
ÖNORM B1/ Q1



 RV424	 RV534	 RV634	 RV664	 RV524	 RV434
 RV414	 RV454	 RV274	 RV384	 RV184	 RV774
 RV764	 RV754	 RV834	 RV944	 RV914	 RV974
 RV284	 RV324	 RV224	 RV144	 RV154	 RV164
 RV194					

HARALD 3 KVADRAT




Designer: Raf Simons & Fanny Aronsen
Composizione:100% Cotone
Larghezza: 140 cm
Cimossa: ↑
Peso: 520 g/mtl

Resistenza alla luce: 5-6 (ISO 105-B02)
Abrasion: 100000 Martindale
Colore: possono riscontrasi lievi differenze
L'ambiente: Fibre naturali / risorsa rinnovabile

Fireproof test
AS/NZS 1530.3
BS 5852 ig. s. 5
BS 5867, part 2, type B
DIN 4102 B2, ÖNORM B1/Q1
EN 1021-1/2

EN 13501, C-s1, d0, glued
IMO A.652(16)
NF D 60 013
NFPA 260
UNI 9175, 11M
US Cal. Tech. Bull. 117



 HA 443	 HA 512	 HA 343	 HA 182	 HA 952	 HA 133
 HA 212	 HA 283	 HA 982	 HA 582		


STEELCUT TRIO 3 KVADRAT

Designer: Dijkmeijer & Ridolfo
Composition: 90% Wool, 10% Nylon
Height: 140 cm
Selvedge:
Weight: Umami 770 g/lin.m
Light resistance: 6-7 (ISO 1-8)


Abrasion: Umami 100.000 Martindale
Colour: there may be slight defferences
The enviroment: natural fibres / renewable resource

Fireproof test
AS/NZS 3837, class 2
BS 5852 Crib 5 with treatment
BS 5852 part 1
DIN 4102 B1
EN 1021-1/2
IMO FTP Code 2010 Part 8


NF D 60 013
NFPA 260
SN 198 898 5.5 with FR treatment
UNI 9175 11M
US Cal. Bull. 117-2013
ÖNORM B1/Q1




SC446



SC453




SC436



SC576



SC666



SC526




SC506



SC226



SC246



SC113




SC153



SC796



SC195



SC983




SC716



SC806



SC976



SC176



SC906



SC105

DIVINA 3 KVADRAT

Designer: Finn Sködt
Composition: 100% Wool
Height: 150 cm
Selvedge: ↓
Weight: 840 g/mtl
Light resistance: 5-7 (ISO 105-B02)
Abrasion: 45000 Martindale

Colour: there may be slight differences.
The light colours may contain dark fibres.
The environment: Natural fibres / renewable resource

Fireproof test
AS/NZS 1530.3
BS 5852 ig. s. 5
BS 5867, part 2, type B
DIN 4102 B2, ÖNORM B1/Q1
EN 1021-1/2
EN 13501, C-s1, d0, glued

IMO A.652(16)
NF D 60 013
NFPA 260
UNI 9175, 11M
US Cal. Tech. Bull. 117



DV426



DV542



DV623



DV696



DV684



DV676



DV893



DV886



DV936



DV356



DV236



DV106



DV171



DV173



DV191

GLOW KVADRAT

Designer: Dijkmeijer & Ridolfo
Composition: 90% Wool, 10% nylon
Height: 140 cm
Selvedge: ↔
Weight: 360 g/mtl

Light resistance: 6-7 (ISO 105-B02)
Abrasion: 60000 Martindale
Colour: there may be slight differences.
The light colours may contain dark fibres.
The environment: In compliance with EU environmental regulations

Fireproof test
BS 5852 ig. s. 3
EN 1021-1/2
IMO 2010 p. 8
NF D 60 013
UNI 9175, 11M
US Cal. Tech. Bull. 117
Önorm B1/Q1



GL443



GL453



GL543



GL663



GL673



GL753



GL773



GL793



GL733



GL723



GL923



GL933



GL873



GL893



GL393



GL383



GL363




GL343



GL213



GL123



GL143



GL1153



GL183

DIVINA MELANGE 2 KVADRAT

Designer: Finn Sködt
Composition: 100% Wool
Height: 150 cm
Selvedge: ↓
Weight: 840 g/mtl
Light resistance: 5-7 (ISO 105-B02)
Abrasion: 45000 Martindale

Colour: there may be slight differences.
The environment: Natural fibres / renewable resource
Fireproof test



AS/NZS 1530.3
BS 5852 ig. s. 5
BS 5867, part 2, type B
DIN 4102 B2, ÖNORM B1/Q1
EN 1021-1/2
EN 13501, C-s1, d0, glued

IMO A.652(16)
NF D 60 013
NFPA 260
UNI 9175, 11M
US Cal. Tech. Bull. 117



DM421



DM471



DM521



DM571



DM671



DM721



DM871



DM180



DM260



DM220

CAVA 3 KVADRAT

Designer: Louise Sigvardt
Composition: 90% new wool worsted, 10% nylon
Height: 140 cm
Selvedge:
Weight: Umami 420 g/lin.m -
Umami 2 510 g/lin.m - Umami 3 470 g/lin.m
Light resistance: 6-7 (ISO 1-8)
Abrasion: Umami 80.000 Martindale

Umami 2 100.000 Martindale
Umami 3 60.000 Martindale
Colour: there may be slight differences
The enviroment: natural fibres / renewable resource



Fireproof test
AS/NZS 3837, class 2
BS 5852 Crib 5 with treatment
BS 5852 part 1
EN 1021-1/2

IMO FTP Code 2010 Part 8
NF D 60 013
UNI 9175 11M
US Cal. Bull. 117-2013



CA442



CA432



CA552



CA652



CA794



CA153



CA953



CA883



CA972



CA373



CA142



CA192

RECHECK KVADRAT

Designer: Giulio Ridolfo
Composition: 90% WO, 10% nylon
Width: 140 cm
Selvedge: ↓
Weight: 420 g/mtl

Light resistance: 5-7 (ISO 105-B02)
Abrasion: 100000 Martindale
Colour: there may be slight differences.
The environment: Natural fibres / renewable resource



Fireproof test
AS/NZS 1530.3
AS/NZS 3837 class 2
BS 5852 Crib 5 with treatment
BS 5852 part 1
EN 1021-1/2

IMO FTP Code 2010:Part 8
NF D 60 013
NFPA 260
UNI 9175 11M
US Cal. Bull. 117-2013



RC 845



RC 455



RC 645



RC 875



RC 765



RC 985



RC 625



RC 165

FIORD KVADRAT

Designer: Louise Sigvardt & Tone Barnung
Composition: 92% Wool, 8% nylon
Width: 140 cm
Selvedge: ↓
Weight: 500 g/mtl
Light resistance: 5-7 (ISO 105-B02)
Abrasion: 60000 Martindale

Colour: there may be slight differences.
The environment: Natural fibres / renewable resource



Fireproof test
BS 5852 Crib 5 with treatment
BS 5852 part 1
DIN 4102 B2
EN 1021-1/2

IMO FTP Code 2010 Part 8
NF D 60 013
UNI 9175 11M
US Cal. Bull. 117-2013
AS/NZS 3837, class 2



FO 451



FO 521



FO 581



FO 771



FO 751



FO 101



FO 271



FO 171



FO 971



FO 991



FO 191

CANVAS KVADRAT

Designer: Giulio Ridolfo
Composition: 90% New wool worsted, 10% Nylon
Height: 140 cm
Selvedge: ↓
Weight: 480 g/mtl
Light resistance: 6-7 (ISO 1-8)
Abrasion: 100000 Martindale

Colour: there may be slight differences
The environment: In compliance with EU environmental regulations



Fireproof test
AS/NZS 1530.3
BS 5852 ig. s. 2-3
DIN 4102 B2
EN 1021-1/2
IMO A.652(16)
NF D 60 013

NFPA 260
UNI 9175 11M
US Cal. Tech. Bull. 117
ÖNORM B1/Q1



CV414



CV446



CV546



CV556



CV424



CV254



CV454




CV576




CV644



CV654



CV674



CV364



CV374



CV694



CV684



CV786




CV794




CV666



CV746




CV726




CV734



CV984



CV836



CV946



CV954




CV926




CV974



CV996



CV936



CV964



CV264



CV764



CV854



CV356



CV244



CV224



CV614




CV716



CV216



CV114



CV124



CV134



CV154



CV174

UMAMI KVADRAT


Designer: Louise Sigvardt
Composition: 90% new wool worsted, 10% nylon
Height: 140 cm
Selvedge:
Weight: Umami 420 g/lin.m -
Umami 2 510 g/lin.m - Umami 3 470 g/lin.m
Light resistance: 6-7 (ISO 1-8)
IMO FTP Code 2010 Part 8
NF D 60 013

Abrasion: Umami 80.000 Martindale
Umami 2 100.000 Martindale
Umami 3 60.000 Martindale
Colour: there may be slight defferences
The enviroment: natural fibres / renewable resource



Fireproof test
AS/NZS 3837, class 2
BS 5852 Crib 5 with treatment
BS 5852 part 1
EN 1021-1/2

UNI 9175 1IM
US Cal. Bull. 117-2013




PATINA CAMIRA

Designer: Finn Sködt
Composition: 69% Wool, 22% Flax, 8% Polyamide, 1% Viscose
Width: 140 cm
Selvedge: †
Weight: 330 g/mtl



Light resistance: 5 (ISO 105-B02)
Abrasion: 100000 Martindale
Colour: there may be slight differences.
The light colours may contain dark fibres.
The environment: Certified to the EU Ecolabel

Fireproof test
EN 1021 - 1
EN 1021 - 2
BS 7176 Low Hazard
BS 5852 Ignition Source 5
BS 7176 Medium Hazard
ÖNORM B 3825 & A 3800-1
UNI 9175 Classe 1 IM
BS 5867-2: Type B



MIAMI PINTAIL

Composition: 88% Polyester, 12% Polyethylene
Total width: 140 cm (UNI EN 1773)
Weight per square meter: 260 g/m2 (± 4%) (UNI 5114)
("Martindale") Abrasion resistance. Rubs: 80000
Light resistance: 7 (ISO 105-B02)
Pilling resistance: 5 (ISO 12945-2)



ON REQUEST

WATER-REPELLENT

PM1102	PM2009	PM3560	PM1986	PM3001	PM11-3006
PM11-5010	PM5011	PM10-5018	PM11-5004	PM5001	PM7746
PM10-6025	PM11-6007	PM13-6003	PM11-8002	PM11-8008	PM7744
PM6003	PM0000	PM11-7004	PM0978	PM1000	

DISCO COEX by Chiocchiarello

Composition: 70% cotton, 20% acrylic, 5% viscose, 5% linen
Total width: 150 cm
Total length: 25m
Weight per square meter: 430 g/m² (± 4%) (UNI 5114)
("Martindale") Abrasion resistance. Rubs: 50000 End point (ISO 12947- 2)
Acoustic Absorption: UUNI EN ISO 354:2003

Fastness to Rubbing: 4/5 (ISO 105 B02)
Flammability: IMO - 11M UNI 9175 - EN 1021-1-2006 - EN 1021-2-2006 - CRIB 5 - TB 117:2013
Is a Fireproof



NO-SHRINK

DI12	DI33	DI27	DI35	FL40	DI41
DI28	DI30	DI1	DI10	DI7	DI8
DI9	DI23	DI6	DI26	DI5	DI31

DI24	DI43	DI38	DI37	DI36	DI17
DI32					

PATIO KVADRAT

Designer: Karina Nielsen Rios
Composition: 100% Trevira CS
Height: 140 cm
Selvedge: ↔
Weight: 560 g/lin.m
Light resistance: 7 (ISO 105-B02)
Abrasion: 50000 Martindale
Colour: there may be slight differences.

The light colours may contain dark fibres.
The environment: In compliance with EU environmental regulations



WATER-REPELLENT

Fireproof test
BS 5852 ignition source 5
BS 5852 part 1 ignition source 0
DIN 4102 B1, EN 1021-1/2
IMO FTP Code 2010 Part 8

NF D 60 013
NF P 92 507 M1
UNI 9175 11M
US Cal. Bull. 117-2013
ÖNORM B1/Q1

PATC0100	PATC0110	PATC0140	PAT0150	PAT0170	PAT0200
PAT0210	PAT0220	PAT0230	PAT0340	PAT0370	PAT0410
PAT0430	PAT0440	PAT0450	PAT0550	PAT0570	PAT0650
PAT0730	PAT0740	PAT0750	PAT0780	PAT840	PAT0970

SYMBOLS

Fireproof.	Dry clean with usual solvents, based on perchloroethylene, solvent R113 and hydrocarbon (no trichloroethylene).
Hand wash at max temperature indicated.	Iron. The dots in the centre of the symbol indicate the temperature: One dot: iron cold (110°): acrylic, nylon, acetate. Two dots: iron warm (150°): polyester, wool. Three dots: iron hot (200°): cotton, linen.
Do not wash.	Do not tumble dry.
Do not bleach.	

Infiniti reserves the right to change or technically improve the design and specifications of any of its products at any time and at its discretion without notice.

INFINITI

Via Ca' Leoncino, 2 - 31030
Castello di Godego (TV) - ITALY

ph +39 0423 7616

www.infinitidesign.it

Concept and Design
TAILOR&TAILOR
thetailors.it

Photo
STUDIO B2 - ORLANDO BONALDO

3D Images
BRUGER STUDIO
brugerstudio.com

-
IMAGINE CG
imaginecg.it

Colour separation and Print
KAPPADUE
kappadue.net

